



KLight® SOARING TECHNOLOGY CO.,LTD

Head office
1F, No.32, Zhongxing Road, Xizhi, District, New Taipei City 22161, Taiwan, R.O.C.
Tel: +886-2-2691-8000 FAX: +886-2-2691-7000
Website: www.sotac.com.tw

China DongGuan factory
Nan Ge 3 Road, Nan Ge Industrial Park, Dao Jiao Town, DongGuan City, Guangdong Province, China
Tel: +86-769-3893-7689 Fax: +86-769-3893-7686
Website: www.k-light.cn

VANITY


SOARING TECHNOLOGY CO.,LTD



COMPANY PROFILE



Today Soaring Technology Co., Ltd (TWO.6222), is a public listed lighting company in Taiwan with (3) three manufacturing facilities in Dongguan, Xiamen and Taipei.



It started with Kwo-Light Co., Ltd in 1990 in Taiwan, Kwo-Light manufactured full line of lighting product assortments such as Halogen Lamps, Compact Fluorescent lamps, HID and etc. Until 2006, Kwo-Light setup its first manufacturing plant in Dongguan, China, of 23,000 square meters to heighten its competency.

In 2009, KWO-LIGHT ventured into new LED world – a new LED division of experts was formed to design LED light bulbs, LED-ready fixtures and LED luminaire.

In 2018 KWO-LIGHT Co .Ltd. cooperated with Soaring Technology Co, Ltd, a public listed company in Taiwan, changed its name to Soaring Technology Co., Ltd.

With intensive experiences and technology know-how, K-light is now at the forefront in every aspect of LED lighting technology. The systematic management, quality production, efficient customer service and endeavor enable us to supply our products of high quality to our customers globally.

OEM and ODM inquiries are welcomed. We are expert in the field of material science, mechanical design, thermal management, optics & power electronic designs. We fulfill customer's requests, pay attention and execute every engineering details, satisfy customer with full professionalism.

As a partner of Soaring Technology, you are assured the very best of modern technology in the lighting industry combined with our invention, patents, product-safety guarantee and the highest level of customer services.


BATH VANITY



PRODUCT INDEX



S6660 S6662 S6664
pg.05



S6400 S6402 S6404
pg.05



S6800 S6802
pg.06



S6810 S6812
pg.06



S6904 S6905
pg.07



S6906 S6907 S6908
pg.07



S6424 S6426
pg.08



S6410 S6412 S6414
pg.08



S3726 S3739
pg.09



S6436 S6438 S6440
pg.09



S6081 6082 6083
pg.10



S6833 S6834
pg.10



S6876 S6877
pg.11



S6878 S6879
pg.11



S6570 S6572 S6574
pg.12



S6560 S6562 S6564
pg.12



S6670 S6672 S6674
S6676
pg.13



S6822 S6823
pg.13



S6872 S6873 S6874
pg.14



S6720 S6722
pg.14



S6842 S6843 S6844
pg.15



S6852 S6853 S6854
pg.15



S6862 S6863 S6864
pg.16



S6122 S6123 S6124
pg.16



S6582 S6584
pg.17



S6290 S6292 S6294
S6296 S6298
pg.17



S6280 S6282 S6284
S6286 S6288
pg.18



S6380 S6384
pg.18



S6160 S6162 S6164
S6166
pg.19



S6136 S6138 S6140
pg.19

PRODUCT INDEX



**S6044 S6046 S6048
S6051**
pg.20



S6077 S6078 S6079
pg.20



S6880 S6881
pg.21



S6882
pg.21



S6883 S6884
pg.21



S6885 S6886 S6887
pg.22



S6888 S6889 S6890
pg.22




S6892 S6893 S6894
pg.23



S6896 S6897 S6898
pg.23



S6900 S6901
pg.24



S6902 S6903
pg.24



**S6008 S6010 S6011
S6012 S6013**
pg.25



**S6000 S6002 S6004
S6025**
pg.25



S6020 S6021 S6022
pg.26



S6524 S6536 S6548
pg.26



**S6230 S6232 S6254
S6256**
pg.27



S6392 S6394 S6396
pg.27



S6224 S6236 S6248
pg.28



S6324 S6336 S6348
pg.28



S105674
pg.29



S105140
pg.29



S105270
pg.29



S105252
pg.29



S105268
pg.29



S105260
pg.29



S105248
pg.29



S105250
pg.29



S105255
pg.29



S105003
pg.29

VANITY



S6660

- Brushed Nickel or Chrome
- White Etched Glass
- 26W Integrated LED
- 23" W x 6.5" H x 3.25" Ext

ADA



S6662

- Brushed Nickel or Chrome
- White Etched Glass
- 40W Integrated LED
- 38" W x 6.5" H x 3.25" Ext

ADA



S6664

- Brushed Nickel or Chrome
- White Etched Glass
- 54W Integrated LED
- 49" W x 6.5" H x 3.25" Ext

ADA



S6400

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 1 Socket
- 13.75" W x 6.75" H x 3.25" Ext
- Lamp Sold Separately

ADA



S6402

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 2 Sockets
- 25.25" W x 6.75" H x 4.25" Ext
- Lamps Sold Separately



S6404

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 2 Sockets
- 33.5" W x 6.75" H x 4.75" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
ILED6660	Integrated	26	120	BN,CH	2600	80
ILED6662	Integrated	40	120	BN,CH	4000	80
ILED6664	Integrated	54	120	BN,CH	5400	80
INCS6400	E26	60	120	BN,CH	645	97
CFLS6400	GU24	13	120	BN,CH	800	82
LED6400	GU24	7	110-277	BN,CH	700	75
INCS6402	E26	60	120	BN,CH	645	97
CFLS6402	GU24	13	120	BN,CH	800	82
LED6402	GU24	7	110-277	BN,CH	700	75
INCS6404	E26	60	120	BN,CH	645	97
CFLS6404	GU24	13	120	BN,CH	800	82
LED6404	GU24	7	110-277	BN,CH	700	75

VANITY

S6800

- Brushed Nickel or Chrome
- Frosted Glass
- 20W Integrated LED
- 29.75" W x 5.5" H x 4" Ext



ADA

S6802

- Brushed Nickel or Chrome
- Frosted Glass
- 35W Integrated LED
- 41.5" W x 5.5" H x 4" Ext



ADA

S6810

- Brushed Nickel or Chrome
- White Acrylic Diffuser
- 20W Integrated LED
- 29.75" W x 4.25" H x 4" Ext



ADA

S6812

- Brushed Nickel or Chrome
- White Acrylic Diffuser
- 35W Integrated LED
- 41.5" W x 4.5" H x 4.75" Ext



Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
ILED6800	Integrated	20	120	BN, CH	2000	80
ILED6802	Integrated	35	120	BN, CH	3500	80
ILED6810	Integrated	20	120	BN, CH	2000	80
ILED6812	Integrated	35	120	BN, CH	3500	80



S6904

- Brushed Nickel or Chrome
- Etched Linear Textured Glass
- Integrated 20w LED
- 28" W x 5" H x 4.25" Ext



S6905

- Brushed Nickel or Chrome
- Etched Linear Textured Glass
- Integrated 20w LED
- 36" W x 5" H x 4.25" Ext



INTEGRATED LIGHT ENGINE AVAILABLE

S6906

- Brushed Nickel or Chrome
- Opal Glass
- 26W Integrated LED
- 25.5" W x 4.25" H x 3.25" Ext



ADA

S6907

- Brushed Nickel or Chrome
- Opal Glass
- 30W Integrated LED
- 30.25" W x 4.25" H x 3.25" Ext



ADA

S6908

- Brushed Nickel or Chrome
- Opal Glass
- 40W Integrated LED
- 42" W x 4.25" H x 3.25" Ext



ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
ILED6904	Integrated	20	120	BN,CH	1300	90
ILED6905	Integrated	20	120	BN,CH	1300	90
ILED6906	Integrated	26	120	BN,CH	2080	90
ILED6907	Integrated	30	120	BN,CH	3040	90
ILED6908	Integrated	40	120	BN,CH	3200	90



S6424

- Brushed Nickel or Chrome
- White Opal Glass
- 2 Sockets
- 29.375" W x 4.75" H x 4.75" Ext
- Lamps Sold Separately



S6426

- Brushed Nickel or Chrome
- White Opal Glass
- 3 Sockets
- 42.375" W x 4.75" H x 4.75" Ext
- Lamps Sold Separately

S6410

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 1 Socket
- 12" W x 4.75" H x 3" Ext
- Lamp Sold Separately



ADA

S6412

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 2 Sockets
- 24" W x 4.75" H x 4.5" Ext
- Lamps Sold Separately



S6414

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 2 Sockets
- 32" W x 4.75" H x 4.5" Ext
- Lamps Sold Separately



Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6424	E26	60	120	BN,CH	645	97
CFLS6424	GU24	13	120	BN,CH	800	82
LEDS6424	GU24	7	110-277	BN,CH	450	82
INCS6426	E26	60	120	BN,CH	645	97
CFLS6426	GU24	13	120	BN,CH	800	82
LEDS6426	GU24	7	110-277	BN,CH	450	82
CFLS6410	GU24	13	120	BN,CH	800	82
LEDS6410	GU24	7	110-277	BN,CH	450	82
CFLS6412	GU24	13	120	BN,CH	800	82
LEDS6412	GU24	7	110-277	BN,CH	450	82
CFLS6414	GU24	13	120	BN,CH	800	82
LEDS6414	GU24	7	110-277	BN,CH	450	82

S3726

- Brushed Nickel, Chrome, Oil Rubbed Bronze, or Satin Aluminum
- White Polycarbonate Lens
- 1 x F24T5HO
- 26" W x 4.75" H x 4.25" Ext
- Lamp Sold Separately




S3739

- Brushed Nickel, Chrome, Oil Rubbed Bronze, or Satin Aluminum
- White Polycarbonate Lens
- 1 x F39T5HO
- 39" W x 4.75" H x 4.25" Ext
- Lamp Sold Separately



ADA



ADA



ADA

S6436

- Brushed Nickel or Chrome
- White Opal Glass
- 20W Integrated LED
- 30" W x 4" H x 4" Ext
- Lamp Sold Separately

S6438

- Brushed Nickel or Chrome
- White Opal Glass
- 35W Integrated LED
- 42" W x 4" H x 4" Ext
- Lamp Sold Separately

S6440

- Brushed Nickel or Chrome
- White Opal Glass
- 48W Integrated LED
- 54" W x 4" H x 4" Ext
- Lamp Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
FLUS3726	T5HO	24	120	BN, CH, ORB, SA	2000	85
ILED3726	Integrated	25	120	BN, CH, ORB, SA	1900	80
FLUS3739	T5HO	39	120	BN, CH, ORB, SA	3100	85
ILED3739	Integrated	36	120	BN, CH, ORB, SA	3300	80
ILED36436	Integrated	20	120	BN, CH	2000	80
ILED36438	Integrated	35	120	BN, CH	3500	80
ILED36440	Integrated	48	120	BN, CH	4800	80



S6081

- Chrome or Polished Brass
- Frosted Ribbed Glass
- 2 Sockets
- 24" W x 4.25" H x 6.125" Ext
- Lamps Sold Separately



S6082

- Chrome or Polished Brass
- Frosted Ribbed Glass
- 3 Sockets
- 36" W x 4.25" H x 6.125" Ext
- Lamps Sold Separately



S6083

- Chrome or Polished Brass
- Frosted Ribbed Glass
- 4 Sockets
- 48" W x 4.25" H x 6.125" Ext
- Lamps Sold Separately

S6833

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 3 Sockets
- 30.5" W x 7" H x 4" Ext
- Lamps Sold Separately



ADA

S6834

- Brushed Nickel or Chrome
- Frosted Checkered Glass
- 4 Sockets
- 40.5" W x 7" H x 4" Ext
- Lamps Sold Separately



ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6081	E26	60	120	CH, PB	645	97
CFLS6081	GU24	13	120	CH, PB	800	82
LEDS6081	GU24	7	110-277	CH, PB	450	82
INCS6082	E26	60	120	CH, PB	645	97
CFLS6082	GU24	13	120	CH, PB	800	82
LEDS6082	GU24	7	110-277	CH, PB	450	82
INCS6083	E26	60	120	CH, PB	645	97
CFLS6083	GU24	13	120	CH, PB	800	82
LEDS6083	GU24	7	110-277	CH, PB	450	82
INCS6833	E26	60	120	BN, CH	645	97
CFLS6833	GU24	13	120	BN, CH	800	82
LEDS6833	GU24	7	110-277	BN, CH	450	82
INCS6834	E26	60	120	BN, CH	645	97
CFLS6834	GU24	13	120	BN, CH	800	82
LEDS6834	GU24	7	110-277	BN, CH	450	82



S6876

- Brushed Nickel or Chrome
- Frosted Inner, Clear Outer Glass
- 3 Sockets
- 21" W x 7.5" H x 4.5" Ext
- Lamps Sold Separately



S6877

- Brushed Nickel or Chrome
- Frosted Inner, Clear Outer Glass
- 4 Sockets
- 27" W x 7.5" H x 4.5" Ext
- Lamps Sold Separately



S6878

- Brushed Nickel or Chrome
- Opal Glass
- 3 Sockets
- 24" W x 9" H x 5.5" Ext
- Lamps Sold Separately



S6879

- Brushed Nickel or Chrome
- Opal Glass
- 4 Sockets
- 30" W x 9" H x 5.5" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6876	E26	60	120	BN,CH	645	97
CFLS6876	GU24	13	120	BN,CH	800	82
LEDS6876	GU24	7	110-277	BN,CH	450	82
INCS6877	E26	60	120	BN,CH	645	97
CFLS6877	GU24	13	120	BN,CH	800	82
LEDS6877	GU24	7	110-277	BN,CH	450	82
INCS6878	E26	60	120	BN,CH	645	97
CFLS6878	GU24	13	120	BN,CH	800	82
LEDS6878	GU24	7	110-277	BN,CH	450	82
INCS6879	E26	60	120	BN,CH	645	97
CFLS6879	GU24	13	120	BN,CH	800	82
LEDS6879	GU24	7	110-277	BN,CH	450	82

S6570

- Brushed Nickel or Chrome
- Satin Etched Glass
- 2 Sockets
- 14.5" W x 7.5" H x 6" Ext
- Lamps Sold Separately



S6572

- Brushed Nickel or Chrome
- Satin Etched Glass
- 3 Sockets
- 24.5" W x 7.5" H x 6" Ext
- Lamps Sold Separately



S6574

- Brushed Nickel or Chrome
- Satin Etched Glass
- 4 Sockets
- 34.5" W x 7.5" H x 6" Ext
- Lamps Sold Separately



S6560

- Brushed Nickel or Chrome
- Frosted Glass
- 2 Sockets
- 14.25" W x 9.875" H x 6.125" Ext
- Lamps Sold Separately



S6562

- Brushed Nickel or Chrome
- Frosted Glass
- 3 Sockets
- 24.5" W x 9.875" H x 6.125" Ext
- Lamps Sold Separately



S6564

- Brushed Nickel or Chrome
- Frosted Glass
- 4 Sockets
- 34.5" W x 9.875" H x 6.125" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6570	E26	60	120	BN,CH	645	97
CFLS6570	GU24	13	120	BN,CH	800	82
LEDS6570	GU24	7	110-277	BN,CH	450	82
INCS6572	E26	60	120	BN,CH	645	97
CFLS6572	GU24	13	120	BN,CH	800	82
LEDS6572	GU24	7	110-277	BN,CH	450	82
INCS6574	E26	60	120	BN,CH	645	97
CFLS6574	GU24	13	120	BN,CH	800	82
LEDS6574	GU24	7	110-277	BN,CH	450	82
INCS6560	E26	60	120	BN,CH	645	97
CFLS6560	GU24	13	120	BN,CH	800	82
LEDS6560	GU24	7	110-277	BN,CH	450	82
INCS6562	E26	60	120	BN,CH	645	97
CFLS6562	GU24	13	120	BN,CH	800	82
LEDS6562	GU24	7	110-277	BN,CH	450	82
INCS6564	E26	60	120	BN,CH	645	97
CFLS6564	GU24	13	120	BN,CH	800	82
LEDS6564	GU24	7	110-277	BN,CH	450	82

S6670

- Brushed Nickel or Chrome
- White Frosted Glass
- 1 Socket
- 7" W x 8.5" H x 8.5" Ext
- Lamp Sold Separately



S6672

- Brushed Nickel or Chrome
- White Frosted Glass
- 2 Sockets
- 19" W x 7.25" H x 8" Ext
- Lamps Sold Separately



S6674

- Brushed Nickel or Chrome
- White Frosted Glass
- 3 Sockets
- 24.25" W x 7.25" H x 8" Ext
- Lamps Sold Separately



S6676

- Brushed Nickel or Chrome
- White Frosted Glass
- 4 Sockets
- 31" W x 7.25" H x 8" Ext
- Lamps Sold Separately



S6822

- Brushed Nickel or Chrome
- White Opal Glass
- 2 Sockets
- 14" W x 11.5" H x 6" Ext
- Lamps Sold Separately



S6823

- Brushed Nickel or Chrome
- White Opal Glass
- 3 Sockets
- 23.2" W x 11.5" H x 6" Ext
- Lamps Sold Separately



Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6670	E26	60	120	BN,CH	645	97
CFLS6670	GU24	13	120	BN,CH	800	82
LEDS6670	GU24	7	110-277	BN,CH	450	82
INCS6672	E26	60	120	BN,CH	645	97
CFLS6672	GU24	13	120	BN,CH	800	82
LEDS6672	GU24	7	110-277	BN,CH	450	82
INCS6674	E26	60	120	BN,CH	645	97
CFLS6674	GU24	13	120	BN,CH	800	82
LEDS6674	GU24	7	110-277	BN,CH	450	82
INCS6676	E26	60	120	BN,CH	645	97
CFLS6676	GU24	13	120	BN,CH	800	82
LEDS6676	GU24	7	110-277	BN,CH	450	82
INCS6822	E26	60	120	BN,CH	645	97
CFLS6822	GU24	13	120	BN,CH	800	82
LEDS6822	GU24	7	110-277	BN,CH	450	82
INCS6823	E26	60	120	BN,CH	645	97
CFLS6823	GU24	13	120	BN,CH	800	82
LEDS6823	GU24	7	110-277	BN,CH	450	82



S6872

- Brushed Nickel or Chrome
- White Opal Glass
- 2 Sockets
- 13.75" W x 8.25" H x 7.25" Ext
- Lamps Sold Separately

S6873

- Brushed Nickel or Chrome
- White Opal Glass
- 3 Sockets
- 22" W x 8.25" H x 7.25" Ext
- Lamps Sold Separately



S6874

- Brushed Nickel or Chrome
- White Opal Glass
- 4 Sockets
- 30.5" W x 8.25" H x 7.25" Ext
- Lamps Sold Separately

S6720

- Brushed Nickel or Chrome
- Clear Satin Etched Glass
- 3 Sockets
- 17.5" W x 10.25" H x 6.25" Ext
- Lamps Sold Separately



S6722

- Brushed Nickel or Chrome
- Clear Satin Etched Glass
- 4 Sockets
- 24" W x 10.25" H x 6.25" Ext
- Lamps Sold Separately



Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6720	E26	60	120	BN,CH	645	97
CFLS6720	GU24	13	120	BN,CH	800	82
LEDS6720	GU24	7	110-277	BN,CH	450	82
INCS6722	E26	60	120	BN,CH	645	97
CFLS6722	GU24	13	120	BN,CH	800	82
LEDS6722	GU24	7	110-277	BN,CH	450	82
INCS6872	E26	60	120	BN,CH	645	97
CFLS6872	GU24	13	120	BN,CH	800	82
LEDS6872	GU24	7	110-277	BN,CH	450	82
INCS6873	E26	60	120	BN,CH	645	97
CFLS6873	GU24	13	120	BN,CH	800	82
LEDS6873	GU24	7	110-277	BN,CH	450	82
INCS6874	E26	60	120	BN,CH	645	97
CFLS6874	GU24	13	120	BN,CH	800	82
LEDS6874	GU24	7	110-277	BN,CH	450	82



S6842

- Brushed Nickel or Chrome
- Satin Etched Glass
- 2 Sockets
- 14.75" W x 8.75" H x 5.5" Ext
- Lamps Sold Separately



S6844

- Brushed Nickel or Chrome
- Satin Etched Glass
- 4 Sockets
- 31.25" W x 8.75" H x 5.5" Ext
- Lamps Sold Separately



S6852

- Brushed Nickel or Chrome
- White Opal Glass
- 2 Sockets
- 16.5" W x 8.5" H x 7.25" Ext
- Lamps Sold Separately

S6853

- Brushed Nickel or Chrome
- White Opal Glass
- 3 Sockets
- 24.5" W x 8.5" H x 7.25" Ext
- Lamps Sold Separately



S6854

- Brushed Nickel or Chrome
- White Opal Glass
- 4 Sockets
- 31.25" W x 8.75" H x 5.5" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6842	E26	60	120	BN,CH	645	97
CFLS6842	GU24	13	120	BN,CH	800	82
LEDS6842	GU24	7	110-277	BN,CH	450	82
INCS6843	E26	60	120	BN,CH	645	97
CFLS6843	GU24	13	120	BN,CH	800	82
LEDS6843	GU24	7	110-277	BN,CH	450	82
INCS6844	E26	60	120	BN,CH	645	97
CFLS6844	GU24	13	120	BN,CH	800	82
LEDS6844	GU24	7	110-277	BN,CH	450	82
INCS6852	E26	60	120	BN,CH	645	97
CFLS6852	GU24	13	120	BN,CH	800	82
LEDS6852	GU24	7	110-277	BN,CH	450	82
INCS6853	E26	60	120	BN,CH	645	97
CFLS6853	GU24	13	120	BN,CH	800	82
LEDS6853	GU24	7	110-277	BN,CH	450	82
INCS6854	E26	60	120	BN,CH	645	97
CFLS6854	GU24	13	120	BN,CH	800	82
LEDS6854	GU24	7	110-277	BN,CH	450	82



S6862

- Brushed Nickel or Chrome
- White Etched Glass
- 2 Sockets
- 13.5" W x 8.5" H x 7.25" Ext
- Lamps Sold Separately

S6863

- Brushed Nickel or Chrome
- White Etched Glass
- 3 Sockets
- 21.75" W x 8.5" H x 7.25" Ext
- Lamps Sold Separately



S6864

- Brushed Nickel or Chrome
- White Etched Glass
- 4 Sockets
- 30" W x 8.75" H x 7.25" Ext
- Lamps Sold Separately



S6122

- Brushed Nickel or Chrome
- White Etched Glass
- 2 Sockets
- 14" W x 8.625" H x 5.625" Ext
- Lamps Sold Separately

S6123

- Brushed Nickel or Chrome
- White Etched Glass
- 3 Sockets
- 21.75" W x 8.625" H x 5.625" Ext
- Lamps Sold Separately



S6124

- Brushed Nickel or Chrome
- White Etched Glass
- 4 Sockets
- 31.5" W x 8.625" H x 5.625" Ext
- Lamps Sold Separately



Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6122	E26	60	120	BN,CH	645	97
CFLS6122	GU24	13	120	BN,CH	800	82
LEDS6122	GU24	7	110-277	BN,CH	450	82
INCS6123	E26	60	120	BN,CH	645	97
CFLS6123	GU24	13	120	BN,CH	800	82
LEDS6123	GU24	7	110-277	BN,CH	450	82
INCS6124	E26	60	120	BN,CH	645	97
CFLS6124	GU24	13	120	BN,CH	800	82
LEDS6124	GU24	7	110-277	BN,CH	450	82
INCS6862	E26	60	120	BN,CH	645	97
CFLS6862	GU24	13	120	BN,CH	800	82
LEDS6862	GU24	7	110-277	BN,CH	450	82
INCS6863	E26	60	120	BN,CH	645	97
CFLS6863	GU24	13	120	BN,CH	800	82
LEDS6863	GU24	7	110-277	BN,CH	450	82
INCS6864	E26	60	120	BN,CH	645	97
CFLS6864	GU24	13	120	BN,CH	800	82
LEDS6864	GU24	7	110-277	BN,CH	450	82

S6582

- Brushed Nickel or Chrome
- White Glass
- 3 Sockets
- 21" W x 8.25" H x 9" Ext
- Lamps Sold Separately



S6584

- Brushed Nickel or Chrome
- White Glass
- 4 Sockets
- 28" W x 8.25" H x 9" Ext
- Lamps Sold Separately



S6290

- Brushed Nickel or Chrome
- Frosted Glass
- 1 Socket
- 4.5" W x 6.5" H x 6" Ext
- Lamp Sold Separately

S6292

- Brushed Nickel or Chrome
- Frosted Glass
- 2 Sockets
- 18" W x 6.5" H x 6" Ext
- Lamps Sold Separately

S6294

- Brushed Nickel or Chrome
- Frosted Glass
- 3 Sockets
- 24" W x 6.5" H x 6" Ext
- Lamps Sold Separately

S6296

- Brushed Nickel or Chrome
- Frosted Glass
- 4 Sockets
- 30" W x 6.5" H x 6" Ext
- Lamps Sold Separately

S6298

- Brushed Nickel or Chrome
- Frosted Glass
- 5 Sockets
- 36" W x 6.5" H x 6" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6290	E26	60	120	BN, CH	645	97
CFLS6290	GU24	13	120	BN, CH	800	82
LEDS6290	GU24	7	110-277	BN, CH	450	82
INCS6292	E26	60	120	BN, CH	645	97
CFLS6292	GU24	13	120	BN, CH	800	82
LEDS6292	GU24	7	110-277	BN, CH	450	82
INCS6294	E26	60	120	BN, CH	645	97
CFLS6294	GU24	13	120	BN, CH	800	82
LEDS6294	GU24	7	110-277	BN, CH	450	82
INCS6296	E26	60	120	BN, CH	645	97
CFLS6296	GU24	13	120	BN, CH	800	82
LEDS6296	GU24	7	110-277	BN, CH	450	82
INCS6298	E26	60	120	BN, CH	645	97
CFLS6298	GU24	13	120	BN, CH	800	82
LEDS6298	GU24	7	110-277	BN, CH	450	82
INCS6582	E26	60	120	BN, CH	645	97
CFLS6582	GU24	13	120	BN, CH	800	82
LEDS6582	GU24	7	110-277	BN, CH	450	82
INCS6584	E26	60	120	BN, CH	645	97
CFLS6584	GU24	13	120	BN, CH	800	82
LEDS6584	GU24	7	110-277	BN, CH	450	82

S6380

- Brushed Nickel or Antique Bronze
- Frost Glass with Clear Edges
- 3 Sockets
- 16" W x 7.75" H x 6.25" Ext
- Lamps Sold Separately
- Mounting: As Shown

S6384

- Brushed Nickel or Antique Bronze
- Frost Glass with Clear Edges
- 4 Sockets
- 22.5" W x 7.75" H x 6.25" Ext
- Lamps Sold Separately
- Mounting: As Shown



S6280

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 1 Socket
- 4.5" W x 8.25" H x 6.25" Ext
- Lamp Sold Separately



S6282

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 2 Sockets
- 18" W x 7" H x 7" Ext
- Lamps Sold Separately

S6284

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 3 Sockets
- 24" W x 7" H x 7" Ext
- Lamps Sold Separately

S6286

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 4 Sockets
- 30" W x 7" H x 7" Ext
- Lamps Sold Separately

S6288

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 5 Sockets
- 36" W x 7" H x 7" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6280	E26	60	120	BN, CH	645	97
CFLS6280	GU24	13	120	BN, CH	800	82
LEDS6280	GU24	7	110-277	BN, CH	450	82
INCS6282	E26	60	120	BN, CH	645	97
CFLS6282	GU24	13	120	BN, CH	800	82
LEDS6282	GU24	7	110-277	BN, CH	450	82
INCS6284	E26	60	120	BN, CH	645	97
CFLS6284	GU24	13	120	BN, CH	800	82
LEDS6284	GU24	7	110-277	BN, CH	450	82
INCS6286	E26	60	120	BN, CH	645	97
CFLS6286	GU24	13	120	BN, CH	800	82
LEDS6286	GU24	7	110-277	BN, CH	450	82
INCS6288	E26	60	120	BN, CH	645	97
CFLS6288	GU24	13	120	BN, CH	800	82
LEDS6288	GU24	7	110-277	BN, CH	450	82
INCS6380	E12	40	120	BN, AB	330	97
LEDS6380	E12	5	110-277	BN, AB	350	82
INCS6384	E12	40	120	BN, AB	330	97
LEDS6384	E12	5	110-277	BN, AB	350	82



S6160

- Brushed Nickel or Chrome
- Satin Opal Glass
- 2 Sockets
- 14" W x 6.75" H x 6.25" Ext
- Lamps Sold Separately



S6162

- Brushed Nickel or Chrome
- Satin Opal Glass
- 3 Sockets
- 24" W x 6.75" H x 6.25" Ext
- Lamps Sold Separately



S6164

- Brushed Nickel or Chrome
- Satin Opal Glass
- 4 Sockets
- 30" W x 6.75" H x 6.25" Ext
- Lamps Sold Separately



S6166

- Brushed Nickel or Chrome
- Satin Opal Glass
- 5 Sockets
- 36" W x 6.75" H x 6.25" Ext
- Lamps Sold Separately



S6136

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 3 Sockets
- 18" W x 6.625" H x 7" Ext
- Lamps Sold Separately

S6138

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 4 Sockets
- 24" W x 6.625" H x 7" Ext
- Lamps Sold Separately

S6140

- Brushed Nickel or Chrome
- Clear Prismatic Glass
- 5 Sockets
- 30" W x 6.625" H x 7" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6136	E26	60	120	BN, CH	645	97
CFLS6136	GU24	13	120	BN, CH	800	82
LEDS6136	GU24	7	110-277	BN, CH	450	82
INCS6138	E26	60	120	BN, CH	645	97
CFLS6138	GU24	13	120	BN, CH	800	82
LEDS6138	GU24	7	110-277	BN, CH	450	82
INCS6140	E26	60	120	BN, CH	645	97
CFLS6140	GU24	13	120	BN, CH	800	82
LEDS6140	GU24	7	110-277	BN, CH	450	82
INCS6160	E26	60	120	BN, CH	645	97
CFLS6160	GU24	13	120	BN, CH	800	82
LEDS6160	GU24	7	110-277	BN, CH	450	82
INCS6162	E26	60	120	BN, CH	645	97
CFLS6162	GU24	13	120	BN, CH	800	82
LEDS6162	GU24	7	110-277	BN, CH	450	82
INCS6164	E26	60	120	BN, CH	645	97
CFLS6164	GU24	13	120	BN, CH	800	82
LEDS6164	GU24	7	110-277	BN, CH	450	82
INCS6166	E26	60	120	BN, CH	645	97
CFLS6166	GU24	13	120	BN, CH	800	82
LEDS6166	GU24	7	110-277	BN, CH	450	82



S6044

- Brushed Nickel or Chrome
- Alabaster Glass
- 2 Sockets
- 14" W x 8" H x 8" Ext
- Lamps Sold Separately

S6046

- Brushed Nickel or Chrome
- Alabaster Glass
- 3 Sockets
- 18" W x 8" H x 8" Ext
- Lamps Sold Separately



S6048

- Brushed Nickel or Chrome
- Alabaster Glass
- 4 Sockets
- 24" W x 8" H x 8" Ext
- Lamps Sold Separately

S6051

- Brushed Nickel or Chrome
- Alabaster Glass
- 5 Sockets
- 30" W x 8" H x 8" Ext
- Lamps Sold Separately



S6077

- Brushed Nickel or Chrome
- Alabaster Glass
- 2 Sockets
- 19.5" W x 7.75" H x 8" Ext
- Lamps Sold Separately

S6078

- Brushed Nickel or Chrome
- Alabaster Glass
- 3 Sockets
- 24" W x 7.75" H x 8" Ext
- Lamps Sold Separately



S6079

- Brushed Nickel or Chrome
- Alabaster Glass
- 4 Sockets
- 32" W x 7.75" H x 8" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6044	E26	60	120	BN, CH	645	97
CFLS6044	GU24	13	120	BN, CH	800	82
LEDS6044	GU24	7	110-277	BN, CH	450	82
INCS6046	E26	60	120	BN, CH	645	97
CFLS6046	GU24	13	120	BN, CH	800	82
LEDS6046	GU24	7	110-277	BN, CH	450	82
INCS6048	E26	60	120	BN, CH	645	97
CFLS6048	GU24	13	120	BN, CH	800	82
LEDS6048	GU24	7	110-277	BN, CH	450	82
INCS6051	E26	60	120	BN, CH	645	97
CFLS6051	GU24	13	120	BN, CH	800	82
LEDS6051	GU24	7	110-277	BN, CH	450	82
INCS6077	E26	60	120	BN, CH	645	97
CFLS6077	GU24	13	120	BN, CH	800	82
LEDS6077	GU24	7	110-277	BN, CH	450	82
INCS6078	E26	60	120	BN, CH	645	97
CFLS6078	GU24	13	120	BN, CH	800	82
LEDS6078	GU24	7	110-277	BN, CH	450	82
INCS6079	E26	60	120	BN, CH	645	97
CFLS6079	GU24	13	120	BN, CH	800	82
LEDS6079	GU24	7	110-277	BN, CH	450	82



S6880

- Brushed Nickel or Chrome
- White Linen Glass with Clear Edge
- 3 Sockets
- 22" W x 9.5" H x 6.13" Ext
- Lamps Sold Separately



S6881

- Brushed Nickel or Chrome
- White Linen Glass with Clear Edge
- 4 Sockets
- 31" W x 9.5" H x 6.13" Ext
- Lamps Sold Separately



S6882

- Brushed Nickel or Chrome
- Satin Opal Bell Glass
- 3 Sockets
- 23.5" W x 9" H x 5.5" Ext
- Lamps Sold Separately



S6883

- Brushed Nickel or Chrome
- Opal Glass
- 3 Sockets
- 20.5" W x 8.75" H x 5.13" Ext
- Lamps Sold Separately



S6884

- Brushed Nickel or Chrome
- Opal Glass
- 4 Sockets
- 27.5" W x 8.75" H x 5.13" Ext
- Lamps Sold Separately



Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6880	E26	60	120	BN, CH	645	97
CFLS6880	GU24	13	120	BN, CH	800	82
LEDS6880	GU24	7	110-277	BN, CH	450	82
INCS6881	E26	60	120	BN, CH	645	97
CFLS6881	GU24	13	120	BN, CH	800	82
LEDS6881	GU24	7	110-277	BN, CH	450	82
INCS6882	E26	60	120	BN, CH	645	97
CFLS6882	GU24	13	120	BN, CH	800	82
LEDS6882	GU24	7	110-277	BN, CH	450	82
INCS6883	E26	60	120	BN, CH	645	97
CFLS6883	GU24	13	120	BN, CH	800	82
LEDS6883	GU24	7	110-277	BN, CH	450	82
INCS6884	E26	60	120	BN, CH	645	97
CFLS6884	GU24	13	120	BN, CH	800	82
LEDS6884	GU24	7	110-277	BN, CH	450	82



S6885

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Line Painted Glass
- 2 Sockets
- 18" W x 8.5" H x 6.5" Ext
- Lamps Sold Separately



S6886

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Line Painted Glass
- 3 Sockets
- 24" W x 8.5" H x 6.5" Ext
- Lamps Sold Separately

S6887

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Line Painted Glass
- 4 Sockets
- 32" W x 8.5" H x 6.5" Ext
- Lamps Sold Separately



S6888

- Brushed Nickel or Chrome
- White Linen Glass with Clear Edge
- 3 Sockets
- 20" W x 9" H x 6" Ext
- Lamps Sold Separately

S6889

- Brushed Nickel or Chrome
- White Linen Glass with Clear Edge
- 4 Sockets
- 27.5" W x 9" H x 6" Ext
- Lamps Sold Separately

S6890

- Brushed Nickel or Chrome
- Satin Opal Bell Glass
- 3 Sockets
- 35" W x 9" H x 6" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6885	E26	60	120	BN, ORB, CH	645	97
CFLS6885	GU24	13	120	BN, ORB, CH	800	82
LEDS6885	GU24	7	110-277	BN, ORB, CH	450	82
INCS6886	E26	60	120	BN, ORB, CH	645	97
CFLS6886	GU24	13	120	BN, ORB, CH	800	82
LEDS6886	GU24	7	110-277	BN, ORB, CH	450	82
INCS6887	E26	60	120	BN, ORB, CH	645	97
CFLS6887	GU24	13	120	BN, ORB, CH	800	82
LEDS6887	GU24	7	110-277	BN, ORB, CH	450	82
INCS6888	E26	60	120	BN, CH	645	97
CFLS6888	GU24	13	120	BN, CH	800	82
LEDS6888	GU24	7	110-277	BN, CH	450	82
INCS6889	E26	60	120	BN, CH	645	97
CFLS6889	GU24	13	120	BN, CH	800	82
LEDS6889	GU24	7	110-277	BN, CH	450	82
INCS6890	E26	60	120	BN, CH	645	97
CFLS6890	GU24	13	120	BN, CH	800	82
LEDS6890	GU24	7	110-277	BN, CH	450	82



S6892

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Satin Etched Glass
- 2 Sockets
- 14.56" W x 9.63" H x 6.5" Ext
- Lamps Sold Separately



S6893

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Satin Etched Glass
- 3 Sockets
- 23.94" W x 10.5" H x 6.5" Ext
- Lamps Sold Separately



S6894

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Satin Etched Glass
- 4 Sockets
- 33.5" W x 11.25" H x 6.5" Ext
- Lamps Sold Separately



S6896

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Etched Glass Box-Pleat
- 2 Sockets
- 14.75" W x 7.5" H x 7.75" Ext
- Lamps Sold Separately



S6897

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Etched Glass Box-Pleat
- 3 Sockets
- 23.75" W x 7.5" H x 7.75" Ext
- Lamps Sold Separately



S6898

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Etched Glass Box-Pleat
- 4 Sockets
- 32.5" W x 7.5" H x 7.75" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6892	E26	60	120	BN, ORB, CH	645	97
CFLS6892	GU24	13	120	BN, ORB, CH	800	82
LEDS6892	GU24	7	110-277	BN, ORB, CH	450	82
INCS6893	E26	60	120	BN, ORB, CH	645	97
CFLS6893	GU24	13	120	BN, ORB, CH	800	82
LEDS6893	GU24	7	110-277	BN, ORB, CH	450	82
INCS6894	E26	60	120	BN, ORB, CH	645	97
CFLS6894	GU24	13	120	BN, ORB, CH	800	82
LEDS6894	GU24	7	110-277	BN, ORB, CH	450	82
INCS6896	E26	60	120	BN, ORB, CH	645	97
CFLS6896	GU24	13	120	BN, ORB, CH	800	82
LEDS6896	GU24	7	110-277	BN, ORB, CH	450	82
INCS6897	E26	60	120	BN, ORB, CH	645	97
CFLS6897	GU24	13	120	BN, ORB, CH	800	82
LEDS6897	GU24	7	110-277	BN, ORB, CH	450	82
INCS6898	E26	60	120	BN, ORB, CH	645	97
CFLS6898	GU24	13	120	BN, ORB, CH	800	82
LEDS6898	GU24	7	110-277	BN, ORB, CH	450	82



S6900

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- White Frosted Glass
- 3 Sockets
- 22" W x 7.5" H x 6" Ext
- Lamps Sold Separately



S6901

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- White Frosted Glass
- 4 Sockets
- 31.25" W x 7.5" H x 6" Ext
- Lamps Sold Separately



S6902

- Brushed Nickel or Chrome
- White Acrylic
- 3 Sockets
- 25.25" W x 5.25" H x 4.25" Ext
- Lamps Sold Separately



S6903

- Brushed Nickel or Chrome
- White Acrylic
- 4 Sockets
- 37.25" W x 5.25" H x 4.25" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6900	E26	60	120	BN, ORB, CH	645	97
CFLS6900	GU24	13	120	BN, ORB, CH	800	82
LEDS6900	GU24	7	110-277	BN, ORB, CH	450	82
INCS6901	E26	60	120	BN, ORB, CH	645	97
CFLS6901	GU24	13	120	BN, ORB, CH	800	82
LEDS6901	GU24	7	110-277	BN, ORB, CH	450	82
INCS6902	E26	60	120	BN, CH	645	97
CFLS6902	GU24	13	120	BN, CH	800	82
LEDS6902	GU24	7	110-277	BN, CH	450	82
INCS6903	E26	60	120	BN, CH	645	97
CFLS6903	GU24	13	120	BN, CH	800	82
LEDS6903	GU24	7	110-277	BN, CH	450	82

S6008

- Brushed Nickel or Chrome
- 3 Sockets
- 18" W x 4.5" H x 2.25" Ext
- Lamps Sold Separately

S6010

- Brushed Nickel or Chrome
- 4 Sockets
- 24" W x 4.5" H x 2.25" Ext
- Lamps Sold Separately



S6011

- Brushed Nickel or Chrome
- 5 Sockets
- 30" W x 4.5" H x 2.25" Ext
- Lamps Sold Separately

S6012

- Brushed Nickel or Chrome
- 6 Sockets
- 36" W x 4.5" H x 2.25" Ext
- Lamps Sold Separately

S6013

- Brushed Nickel or Chrome
- 8 Sockets
- 48" W x 4.5" H x 2.25" Ext
- Lamps Sold Separately



S6000

- Brushed Nickel or Chrome
- 3 Sockets
- 18" W x 4.5" H x 2.25" Ext
- Lamps Sold Separately

S6002

- Brushed Nickel or Chrome
- 4 Sockets
- 24" W x 4.5" H x 2.25" Ext
- Lamps Sold Separately

S6025

- Brushed Nickel or Chrome
- 5 Sockets
- 30" W x 4.5" H x 2.25" Ext
- Lamps Sold Separately

S6004

- Brushed Nickel or Chrome
- 6 Sockets
- 36" W x 4.5" H x 2.25" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6008	E26	40	120	BN, CH	290	92
LEDS6008	E26	7	110-277	BN, CH	500	80
INCS6010	E26	40	120	BN, CH	290	92
LEDS6010	E26	7	110-277	BN, CH	500	80
INCS6011	E26	40	120	BN, CH	290	92
LEDS6011	E26	7	110-277	BN, CH	500	80
INCS6012	E26	40	120	BN, CH	290	92
LEDS6012	E26	7	110-277	BN, CH	500	80
INCS6013	E26	40	120	BN, CH	290	92
LEDS6013	E26	7	110-277	BN, CH	500	80
INCS6000	E26	40	120	BN, CH	290	92
LEDS6000	E26	7	110-277	BN, CH	500	80
INCS6002	E26	40	120	BN, CH	290	92
LEDS6002	E26	7	110-277	BN, CH	500	80
INCS6025	E26	40	120	BN, CH	290	92
LEDS6025	E26	7	110-277	BN, CH	500	80
INCS6004	E26	40	120	BN, CH	290	92
LEDS6004	E26	7	110-277	BN, CH	500	80

S6020

- White
- White U-Bend Glass
- 1 Socket
- 4.5" W x 7.5" H x 4.5" Ext
- Lamp Sold Separately



S6021

- White
- White U-Bend Glass
- 2 Sockets
- 14" W x 4.5" H x 4.5" Ext
- Lamps Sold Separately



S6022

- White
- White U-Bend Glass
- 3 Sockets
- 24.5" W x 4.5" H x 4.5" Ext
- Lamps Sold Separately



S6524

- White
- White Acrylic Lens
- 2 x F17T8
- 26" W x 6" H x 4.5" Ext
- Lamps Sold Separately

S6536

- White
- White Acrylic Lens
- 2 x F32T8
- 38" W x 6" H x 4.5" Ext
- Lamps Sold Separately

S6548

- White
- White Acrylic Lens
- 2 x F32T8
- 50" W x 6" H x 4.5" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS6020	E26	60	120	WH	645	97
CFLS6020	GU24	13	120	WH	800	82
LEDS6020	GU24	7	110-277	WH	450	82
INCS6021	E26	60	120	WH	645	97
CFLS6021	GU24	13	120	WH	800	82
LEDS6021	GU24	7	110-277	WH	450	82
INCS6022	E26	60	120	WH	645	97
CFLS6022	GU24	13	120	WH	800	82
LEDS6022	GU24	7	110-277	WH	450	82
FLUS6524	T8	17	120	WH	1300	85
LEDS6524	T8	9	110-277	WH	900	>80
FLUS6536	T8	25	120	WH	2025	85
FLUS6548	T8	32	120	WH	2800	85
LEDS6548	T8	18	110-277	WH	1800	>80

S6230

- Brushed Nickel
- White Acrylic Lens
- 3 x F17T8
- 24.25" W x 11.25" H x 4.5" Ext
- Lamps Sold Separately

S6232

- Brushed Nickel
- White Acrylic Lens
- 3 x F32T8
- 48.25" W x 11.25" H x 4.5" Ext
- Lamps Sold Separately



3 Light

S6254

- Brushed Nickel
- White Acrylic Lens
- 4 x F17T8
- 24.75" W x 16" H x 4.5" Ext
- Lamps Sold Separately

S6256

- Brushed Nickel
- White Acrylic Lens
- 4 x F32T8
- 48.75" W x 16" H x 4.5" Ext
- Lamps Sold Separately



4 Light

S6392

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- White Acrylic Lens
- 2 x F17T8
- 24.25" W x 6" H x 4.25" Ext
- Lamps Sold Separately

S6394

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- White Acrylic Lens
- 2 x F25T8
- 36" W x 6" H x 4.25" Ext
- Lamps Sold Separately



S6396

- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- White Acrylic Lens
- 2 x F32T8
- 48" W x 6" H x 4.25" Ext
- Lamps Sold Separately



Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
FLUS6230	T8	17	120	BN	1300	85
LEDS6230	T8	9	110-277	BN	900	>80
FLUS6232	T8	32	110-277	BN	2800	85
LEDS6232	T8	18	120	BN	1800	>80
FLUS6254	T8	17	120	BN	1300	85
LEDS6254	T8	9	110-277	BN	900	>80
FLUS6256	T8	32	110-277	BN	2800	85
LEDS6256	T8	18	120	BN	1800	>80
FLUS6392	T8	17	120	BN, ORB, CH	1300	85
LEDS6392	T8	9	110-277	BN, ORB, CH	900	>80
FLUS6394	T8	25	120	BN, ORB, CH	2025	85
FLUS6396	T8	32	110-277	BN, ORB, CH	2800	85
LEDS6396	T8	18	120	BN, ORB, CH	1800	>80



S6224

- Chrome & White End Caps Included
- White Acrylic Lens
- 2 x F17T8
- 24.8" W x 3.3" H x 5.25" Ext
- Lamps Sold Separately

S6236

- Chrome & White End Caps Included
- White Acrylic Lens
- 2 x F25T8
- 36.8" W x 3.3" H x 5.25" Ext
- Lamps Sold Separately

S6248

- Chrome & White End Caps Included
- White Acrylic Lens
- 2 x F32T8
- 48.8" W x 3.3" H x 5.25" Ext
- Lamps Sold Separately



S6324

- Chrome & White End Caps Included
- White Acrylic Lens
- 2 x F17T8
- 24.25" W x 4.375" H x 4.5" Ext
- Lamps Sold Separately

S6336

- Chrome & White End Caps Included
- White Acrylic Lens
- 2 x F25T8
- 36.25" W x 4.375" H x 4.5" Ext
- Lamps Sold Separately

S6348

- Chrome & White End Caps Included
- White Acrylic Lens
- 2 x F32T8
- 48.25" W x 4.375" H x 4.5" Ext
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
FLUS6224	T8	17	120	CH, WH	1300	85
LEDS6224	T8	9	110-277	CH, WH	900	>80
FLUS6236	T8	25	120	CH, WH	2025	85
FLUS6248	T8	32	110-277	CH, WH	2800	85
LEDS6248	T8	18	120	CH, WH	1800	>80
FLUS6324	T8	17	120	CH, WH	1300	85
LEDS6324	T8	9	110-277	CH, WH	900	>80
FLUS6336	T8	25	120	CH, WH	2025	85
FLUS6348	T8	32	110-277	CH, WH	2800	85
LEDS6348	T8	18	120	CH, WH	1800	>80

Decorative Replacement Glass Vanity or Fan Light Kit - 2 1/4" Fitter



S105255

- Alabaster Melon
- 4.75" H x 5.5" W



S105003

- Clear Ribbed Bell
- 4.25" H x 4.75" W



S105674

- White Opal Glass
- 6.125" H x 4.375" W



S105140

- Frosted Square
- 4.5" H x 4.5" W



S105270

- Tuscan Scavo
- 5" H x 4.5" W



S105252

- Faux Alabaster
- 5" H x 5.5" W



S105268

- Frosted Ribbed Bell
- 4.25" H x 4.75" W



S105260

- Clear Prismatic
- 4.5" H x 4.5" W



S105248

- Frosted Ribbed
- 4.75" H x 4.25" W



S105250

- White Opal
- 4.25" H x 5" W