SOARING TECHNOLOGY CO.,LTD

Head office
1F,No32,Zhongxing Road,Xizhi,District,New Taipei City 22161,Taiwan,R.O.C.
Tel: +886-2-2691-8000 FAX:+886-2-2691-7000
Website: www.sotac.com.tw

China DongGuan factory
Nan Ge 3 Road,Nan Ge Industrial Park,Dao Jiao Town, DongGuan City,Guandong Province,China
Tel: +86-769-3893-7689 Fax: +86-769-3893-7686
Website: www.k-light.cn

CEILING

SOARING TECHNOLOGY CO.,LTD

JA8-2016-E

COMPANY PROFILE

Today Soaring Technology Co., Ltd (TWO.6222), is a public listed lighting company in Taiwan with (3) three manufacturing facilities in Dongguan, Xiamen and Taipei.

It started with Kwo-Light Co., Ltd in 1990 in Taiwan, Kwo-Light manufactured full line of lighting product assortments such as Halogen Lamps, Compact Fluorescent lamps, HID and etc. Until 2006, Kwo-Light setup its first manufacturing plant in Dongguan, China, of 23,000 square meters to heighten its competency.

In 2009, KWO-LIGHT ventured into new LED world – a new LED division of experts was formed to design LED light bulbs, LED-ready fixtures and LED luminaire.

In 2018 KWO-LIGHT Co .Ltd. cooperated with Soaring Technology Co, Ltd, a public listed company in Taiwan, changed its name to Soaring Technology Co., Ltd.

With intensive experiences and technology know-how, K-light is now at the forefront in every aspect of LED lighting technology. The systematic management, quality production, efficient customer service and endeavor enable us to supply our products of high quality to our customers globally.

OEM and ODM inquiries are welcomed. We are expert in the field of material science, mechanical design, thermal management, optics & power electronic designs. We fulfill customer's requests, pay attention and execute every engineering details, satisfy customer with full professionalism.

As a partner of Soaring Technology, you are assured the very best of modern technology in the lighting industry combined with our invention, patents, product-safety guarantee and the highest level of customer services.

PRODUCT INDEX

S4580 S4582 S4584
P-04

S4676 S4677 S4678
P-05

S4802 S4804 S4808
P-05

S4662 S4664
P-06

S4670 S4672
P-06

S4106
P-07

S4116
P-08

S4108
P-07

S4112
P-07

S4730 S4731 S4732
P-08

S4741
P-08

S4640 S4642
P-08

S4646 S4648
P-08

S4780 S4782 S4784
S4786 S4789
P-09

S4404 S4406
P-10

S4394
P-10

S4573 S4578 S4579
P-10

S4370 S4372 S4374
P-11

S4380 S4382 S4384
P-11

S4610 S4611 S4612
P-12

S4620 S4622 S4623
P-12

S4630 S4634
P-13

S4680 S4681
P-13

S4560 S4563
P-14

S4560EM S4563EM
P-14

S4518 S4530 S4532
P-15

S4518EM S4530EM
P-15

S4470 S4471 S4472
P-16

S4540 S4541 S4542
S4546
P-16

S4350 S4351 S4352
P-17

JA8-2016-E

S4460 S4461 S4462
P-17

S4430 S4431 S4432
P-18

S4440 S4441 S4442
P-18

S4220 S4221 S4222
P-19

S4364 S4366 S4368
P-19

S4320 S4321 S4322
P-20

S4330 S4331 S4332
P-20

S4274 S4295
P-21

S4210 S4215
P-21

S4208 S4209
P-21

S4000
P-22

S4002
P-22

S4013
P-22

S4016
P-22

S4212 S4299
P-23

S4294 S4297
P-23

S4420 S4422 S4424
P-24

S4590 S4592 S4594
P-24

S4682
P-25

S4684
P-25

S4686
P-25

S4694
P-25

CEILING

INTEGRATED LIGHT ENGINE AVAILABLE

Integrated light engines available in some fixtures as a replacement to standard lamp sockets upon request. Look for this symbol in the catalog for fixtures with an I.L.E.option.

S4580

- Brushed Nickel or Chrome
- Opal Glass
- 1 Socket
- Ceiling mount
- 13.25" W x 4.75" H
- Lamp Sold Separately

S4582

- Brushed Nickel or Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 15" W x 5.75" H
- Lamps Sold Separately

S4584

- Brushed Nickel or Chrome
- Opal Glass
- 3 Sockets
- Ceiling mount
- 17" W x 5.75" H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4580	E26	60	120	BN, CH	645	97
CFLS4580	GU24	13	120	BN, CH	800	82
LEDS4580	GU24	7	110-277	BN, CH	450	82
INCS4582	E26	60	120	BN, CH	645	97
CFLS4582	GU24	13	120	BN, CH	800	82
LEDS4582	GU24	7	110-277	BN, CH	450	82
INCS4584	E26	60	120	BN, CH	645	97
CFLS4584	GU24	13	120	BN, CH	800	82
LEDS4584	GU24	7	110-277	BN, CH	450	82

JA8-2016-E

S4676

- Brushed Nickel or Chrome
- Opal Glass
- 1 Socket
- Ceiling mount
- 12.25" W x 4.75" H
- Lamp Sold Separately

S4677

- Brushed Nickel or Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 15.25" W x 5.25" H
- Lamps Sold Separately

S4678

- Brushed Nickel or Chrome
- Opal Glass
- 3 Sockets
- Ceiling mount
- 18" W x 7" H
- Lamps Sold Separately

S4802

- Chrome
- Opal Glass
- 1 Socket
- Ceiling mount
- 10" W x 5" H
- Lamp Sold Separately

S4804

- Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 12" W x 5" H
- Lamps Sold Separately

S4806

- Chrome
- Opal Glass
- 3 Sockets
- Ceiling mount
- 15.5" W x 5.5" H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4676	E26	60	120	BN, CH	645	97
CFLS4676	GU24	13	120	BN, CH	800	82
LEDS4676	GU24	7	110-277	BN, CH	450	82
INCS4677	E26	60	120	BN, CH	645	97
CFLS4677	GU24	13	120	BN, CH	800	82
LEDS4677	GU24	7	110-277	BN, CH	450	82
INCS4678	E26	60	120	BN, CH	645	97
CFLS4678	GU24	13	120	BN, CH	800	82
LEDS4678	GU24	7	110-277	BN, CH	450	82
INCS4802	E26	60	120	CH	645	97
CFLS4802	GU24	13	120	CH	800	82
LEDS4802	GU24	7	110-277	CH	450	82
INCS4804	E26	60	120	CH	645	97
CFLS4804	GU24	13	120	CH	800	82
LEDS4804	GU24	7	110-277	CH	450	82
INCS4806	E26	60	120	CH	645	97
CFLS4806	GU24	13	120	CH	800	82
LEDS4806	GU24	7	110-277	CH	450	82

CEILING

S4662
- Brushed Nickel or Chrome
- Vanilla Cloth Fabric, Etched Glass Bottom
- 2 Sockets
- Ceiling mount
- 14.75” W x 6” H
- Lamps Sold Separately

S4664
- Brushed Nickel or Chrome
- Vanilla Cloth Fabric, Etched Glass Bottom
- 3 Sockets
- Ceiling mount
- 20.5” W x 6” H
- Lamps Sold Separately

S4670
- Brushed Nickel or Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 11” W x 3.75” H
- Lamps Sold Separately

S4672
- Brushed Nickel or Chrome
- Opal Glass
- 3 Sockets
- Ceiling mount
- 14” W x 3.75” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4662	E26	60	120	BN, CH	645	97
CFLS4662	GU24	13	120	BN, CH	800	82
LEDS4662	GU24	7	110-277	BN, CH	450	82
INCS4664	E26	60	120	BN, CH	645	97
CFLS4664	GU24	13	120	BN, CH	800	82
LEDS4664	GU24	7	110-277	BN, CH	450	82
INCS4670	E26	60	120	BN, CH	645	97
CFLS4670	GU24	13	120	BN, CH	800	82
LEDS4670	GU24	7	110-277	BN, CH	450	82
INCS4672	E26	60	120	BN, CH	645	97
CFLS4672	GU24	13	120	BN, CH	800	82
LEDS4672	GU24	7	110-277	BN, CH	450	82

S4106
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14” W x 4.75” H
- Lamps Sold Separately

S4116
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14” W x 4.75” H
- Lamps Sold Separately

S4108
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14” W x 4.75” H
- Lamps Sold Separately

S4112
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14” W x 4.75” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
CFLS4106	GU24	13	120	BN, ORB	800	82
LEDS4108	GU24	7	110-277	BN, ORB	450	82
CFLS4108	GU24	13	120	BN, ORB	800	82
LEDS4108	GU24	7	110-277	BN, ORB	450	82
CFLS4112	GU24	13	120	BN, ORB	800	82
LEDS4112	GU24	7	110-277	BN, ORB	450	82
CFLS4116	GU24	13	120	BN, ORB	800	82
LEDS4116	GU24	7	110-277	BN, ORB	450	82

CEILING

S4730
- Brushed Nickel or Chrome
- Opal Glass
- 1 Socket
- Ceiling mount
- 6” W x 3.75” H
- Lamp Sold Separately

S4731
- Brushed Nickel or Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 11” W x 4” H
- Lamps Sold Separately

S4732
- Brushed Nickel or Chrome
- Opal Glass
- 2 Sockets
- Ceiling mount
- 13” W x 4.5” H
- Lamps Sold Separately

S4646
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Pressed Glass
- 1 Socket
- Ceiling mount
- 6” W x 2.2” H
- Lamp Sold Separately

S4640
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Pressed Glass
- 1 Socket
- Ceiling mount
- 5” W x 2.2” H
- Lamp Sold Separately

S4741
- Brushed Nickel or Chrome
- Frosted Glass
- 2 Sockets
- Ceiling mount
- 9.75” W x 4.5” H
- Lamps Sold Separately

S4648
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Pressed Glass
- 2 Sockets
- Ceiling mount
- 11” W x 2.2” H
- Lamps Sold Separately

S4642
- Brushed Nickel, Oil Rubbed Bronze, or Chrome
- Pressed Glass
- 2 Sockets
- Ceiling mount
- 9” W x 2.2” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4640	G9	40	120	BN, ORB, CH	400	97
ILEDS4640	Integrated	12	110-277	BN, ORB, CH	500	80
INCS4642	G9	40	120	BN, ORB, CH	400	97
ILEDS4642	Integrated	20	110-277	BN, ORB, CH	1000	80
INCS4646	G9	40	120	BN, ORB, CH	400	97
ILEDS4646	Integrated	12	110-277	BN, ORB, CH	500	80
INCS4648	G9	40	120	BN, ORB, CH	400	97
ILEDS4648	Integrated	20	110-277	BN, ORB, CH	1000	80
INCS4730	E26	60	120	BN, CH	645	97
CFLS4730	GU24	13	120	BN, CH	800	82
LEDS4730	GU24	7	110-277	BN, CH	450	82
INCS4731	E26	60	120	BN, CH	645	97
CFLS4731	GU24	13	120	BN, CH	800	82
LEDS4731	GU24	7	110-277	BN, CH	450	82
INCS4732	E26	60	120	BN, CH	645	97
CFLS4732	GU24	13	120	BN, CH	800	82
LEDS4732	GU24	7	110-277	BN, CH	450	82
INCS4741	E26	60	120	BN, CH	645	97
CFLS4741	GU24	13	120	BN, CH	800	82
LEDS4741	GU24	7	110-277	BN, CH	450	82

S4780
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Ceiling mount
- 10” W x 4.75” H
- Lamp Sold Separately

S4782
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Ceiling mount
- 14.75” W x 4.75” H
- Lamps Sold Separately

S4784
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 16.25” W x 4.75” H
- Lamps Sold Separately

S4786-4
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 4 Sockets
- Ceiling mount
- 24” W x 4.75” H
- Lamps Sold Separately

S4786-5
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 5 Sockets
- Ceiling mount
- 24” W x 4.75” H
- Lamps Sold Separately

S4789
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 x 32w Circline
- Ceiling mount
- 32.625” W x 4.75” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4780	E26	60	120	BN, CH, ORB	645	97
CFLS4780	GU24	13	120	BN, CH, ORB	800	82
LEDS4780	GU24	7	110-277	BN, CH, ORB	700	82
INCS4782	E26	60	120	BN, CH, ORB	645	97
CFLS4782	GU24	13	120	BN, CH, ORB	800	82
LEDS4782	GU24	7	110-277	BN, CH, ORB	700	82
INCS4784	E26	60	120	BN, CH, ORB	645	97
CFLS4784	GU24	13	120	BN, CH, ORB	800	82
LEDS4784	GU24	7	110-277	BN, CH, ORB	700	82
INCS4786-4	E26	60	120	BN, CH, ORB	645	97
CFLS4786-4	GU24	13	120	BN, CH, ORB	800	82
LEDS4786-4	GU24	7	110-277	BN, CH, ORB	700	82
INCS4786-5	E26	60	120	BN, CH, ORB	645	97
CFLS4786-5	GU24	13	120	BN, CH, ORB	800	82
LEDS4786-5	GU24	7	110-277	BN, CH, ORB	700	82
INCS4789	T9	32	120	BN, CH, ORB	1925	82

CEILING

S4404
- Brushed Nickel or Chrome
- Frosted Glass
- 2 Sockets
- Ceiling mount
- 14.5" W x 5.5" H
- Lamps Sold Separately

S4406
- Brushed Nickel or Chrome
- Frosted Glass
- 3 Sockets
- Ceiling mount
- 19" W x 5.5" H
- Lamps Sold Separately

S4394
- Brushed Nickel or Chrome
- Frost White Glass
- 3 Sockets
- Ceiling mount
- 15" W x 5.25" H
- Lamps Sold Separately

Euro Style
EASY ACCESS FOR LAMP CHANGES

LIFT & SHIFT ACRYLIC LENS

S4573
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Ceiling mount
- 13" W x 3.75" H
- Lamp Sold Separately

S4578
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Ceiling mount
- 17" W x 3.75" H
- Lamps Sold Separately

S4579
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 20" W x 3.75" H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4404	E26	60	120	BN, CH	645	97
CFLS4404	GU24	13	120	BN, CH	800	82
LEDS4404	GU24	7	110-277	BN, CH	450	82
INCS4406	E26	60	120	BN, CH	645	97
CFLS4406	GU24	13	120	BN, CH	800	82
LEDS4406	GU24	7	110-277	BN, CH	450	82
INCS4394	E26	60	120	BN, CH	645	97
CFLS4394	GU24	13	120	BN, CH	800	82
LEDS4394	GU24	7	110-277	BN, CH	450	82
INCS4573	E26	60	120	BN, CH, ORB	645	97
CFLS4573	GU24	13	120	BN, CH, ORB	800	82
LEDS4573	GU24	7	110-277	BN, CH, ORB	700	82
INCS4578	E26	60	120	BN, CH, ORB	645	97
CFLS4578	GU24	13	120	BN, CH, ORB	800	82
LEDS4578	GU24	7	110-277	BN, CH, ORB	700	82
INCS4579	E26	60	120	BN, CH, ORB	645	97
CFLS4579	GU24	13	120	BN, CH, ORB	800	82
LEDS4579	GU24	7	110-277	BN, CH, ORB	700	82

S4370
- Brushed Nickel or Chrome
- Frosted Glass
- 1 Socket
- Ceiling mount
- 11" W x 5.5" H
- Lamp Sold Separately

S4380
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Threaded Glass
- 1 Socket
- Ceiling mount
- 11" W x 3.75" H
- Lamp Sold Separately

S4372
- Brushed Nickel or Chrome
- Frosted Glass
- 2 Sockets
- Ceiling mount
- 13" W x 5.5" H
- Lamps Sold Separately

S4382
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Threaded Glass
- 2 Sockets
- Ceiling mount
- 13" W x 3.75" H
- Lamps Sold Separately

S4374
- Brushed Nickel or Chrome
- Frosted Glass
- 3 Sockets
- Ceiling mount
- 15" W x 5.5" H
- Lamps Sold Separately

S4384
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Threaded Glass
- 3 Sockets
- Ceiling mount
- 15" W x 3.75" H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4370	E26	60	120	BN, CH	645	97
CFLS4370	GU24	13	120	BN, CH	800	82
LEDS4370	GU24	7	110-277	BN, CH	450	82
INCS4372	E26	60	120	BN, CH	645	97
CFLS4372	GU24	13	120	BN, CH	800	82
LEDS4372	GU24	7	110-277	BN, CH	450	82
INCS4374	E26	60	120	BN, CH	645	97
CFLS4374	GU24	13	120	BN, CH	800	82
LEDS4374	GU24	7	110-277	BN, CH	450	82
INCS4380	E26	60	120	BN, CH, ORB	645	97
CFLS4380	GU24	13	120	BN, CH, ORB	800	82
LEDS4380	GU24	7	110-277	BN, CH, ORB	450	82
INCS4382	E26	60	120	BN, CH, ORB	645	97
CFLS4382	GU24	13	120	BN, CH, ORB	800	82
LEDS4382	GU24	7	110-277	BN, CH, ORB	450	82
INCS4384	E26	60	120	BN, CH, ORB	645	97
CFLS4384	GU24	13	120	BN, CH, ORB	800	82
LEDS4384	GU24	7	110-277	BN, CH, ORB	450	82

CEILING

S4610
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted White Glass
- 1 Socket
- Ceiling mount
- 12” W x 4” H
- Lamp Sold Separately

S4611
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted White Glass
- 2 Sockets
- Ceiling mount
- 15” W x 6” H
- Lamps Sold Separately

S4612
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted White Glass
- 3 Sockets
- Ceiling mount
- 20” W x 6” H
- Lamps Sold Separately

S4620
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 11.5” W x 4” H
- Lamps Sold Separately

S4622
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 3 Sockets
- Ceiling mount
- 15.5” W x 4.75” H
- Lamps Sold Separately

S4623
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 4 Sockets
- Ceiling mount
- 19.25” W x 5” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4610	E26	60	120	BN, CH, ORB	645	97
CFLS4610	GU24	13	120	BN, CH, ORB	800	82
LEDS4610	GU24	7	110-277	BN, CH, ORB	450	82
INCS4611	E26	60	120	BN, CH, ORB	645	97
CFLS4611	GU24	13	120	BN, CH, ORB	800	82
LEDS4611	GU24	7	110-277	BN, CH, ORB	450	82
INCS4612	E26	60	120	BN, CH, ORB	645	97
CFLS4612	GU24	13	120	BN, CH, ORB	800	82
LEDS4612	GU24	7	110-277	BN, CH, ORB	450	82
INCS4620	E26	60	120	BN, CH, ORB	645	97
CFLS4620	GU24	13	120	BN, CH, ORB	800	82
LEDS4620	GU24	7	110-277	BN, CH, ORB	450	82
INCS4622	E26	60	120	BN, CH, ORB	645	97
CFLS4622	GU24	13	120	BN, CH, ORB	800	82
LEDS4622	GU24	7	110-277	BN, CH, ORB	450	82
INCS4623	E26	60	120	BN, CH, ORB	645	97
CFLS4623	GU24	13	120	BN, CH, ORB	800	82
LEDS4623	GU24	7	110-277	BN, CH, ORB	450	82

S4630
- Brushed Nickel or Chrome
- Frosted White Glass
- 2 Sockets
- Ceiling mount
- 12” W x 3.5” H
- Lamps Sold Separately

S4634
- Brushed Nickel or Chrome
- Frosted White Glass
- 3 Sockets
- Ceiling mount
- 16” W x 3.5” H
- Lamps Sold Separately

S4680
- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- Ceiling mount
- 8.5” W x 10.25” H
- Lamp Sold Separately

S4681
- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- Ceiling mount
- 4.25” W x 6.75” H
- Lamp Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4630	E26	60	120	BN, CH	645	97
CFLS4630	GU24	13	120	BN, CH	800	82
LEDS4630	GU24	7	110-277	BN, CH	450	82
INCS4634	E26	60	120	BN, CH	645	97
CFLS4634	GU24	13	120	BN, CH	800	82
LEDS4634	GU24	7	110-277	BN, CH	450	82
INCS4680	E26	60	120	BN, CH	645	97
CFLS4680	GU24	13	120	BN, CH	800	82
LEDS4680	GU24	7	110-277	BN, CH	450	82
INCS4681	E26	60	120	BN, CH	645	97
CFLS4681	GU24	13	120	BN, CH	800	82
LEDS4681	GU24	7	110-277	BN, CH	450	82

CEILING

S4560

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Ceiling mount
- 11” W x 3” H
- Lamps Sold Separately

S4563

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14” W x 3” H
- Lamps Sold Separately

S4560EM

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 x 13w 4-pin CFL
- Ceiling mount
- Emergency Back Up Battery
- 550 Lumens Under EM Operation
- 11” W x 6” H
- Lamps Sold Separately

S4563EM

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 x 18w 4-pin CFL
- Ceiling mount
- Emergency Back Up Battery
- 600 Lumens Under EM Operation
- 14” W x 6” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
CFLS4560	GU24	13	120	BN, ORB, WH	800	82
LEDS4560	GU24	7	110-277	BN, ORB, WH	450	82
CFLS4563	GU24	13	120	BN, ORB, WH	800	82
LEDS4563	GU24	7	110-277	BN, ORB, WH	450	82
CFLS4560EM	G24Q-1	13	120	BN, ORB, WH	900	82
CFLS4563EM	G24Q-2	18	120	BN, ORB, WH	1250	82

S4518

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Ceiling mount
- 11” W x 3” H
- Lamps Sold Separately

S4530

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 3 Sockets
- Ceiling mount
- 14” W x 3” H
- Lamps Sold Separately

S4532

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 4 Sockets
- Ceiling mount
- 19” W x 4.5” H
- Lamps Sold Separately

S4518EM

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 x 13w 4-pin CFL
- Ceiling mount
- Emergency Back Up Battery
- 550 Lumens Under EM Operation
- 11” W x 6” H
- Lamps Sold Separately

S4530EM

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 x 18w 4-pin CFL
- Ceiling mount
- Emergency Back Up Battery
- 600 Lumens Under EM Operation
- 14” W x 6” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
CFLS4518	GU24	13	120	BN, WH, ORB	800	82
LEDS4518	GU24	7	110-277	BN, WH, ORB	450	82
CFLS4530	GU24	13	120	BN, WH, ORB	800	82
LEDS4530	GU24	7	110-277	BN, WH, ORB	450	82
CFLS4532	GU24	13	120	BN, WH, ORB	800	82
LEDS4532	GU24	7	110-277	BN, WH, ORB	450	82
CFLS4518EM	G24Q-1	13	120	BN, WH, ORB	900	82
CFLS4530EM	G24Q-2	18	120	BN, WH, ORB	1250	82

CEILING

S4470

- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 1 Socket
- Ceiling mount
- 11” W x 5.5” H
- Lamp Sold Separately

S4471

- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 2 Sockets
- Ceiling mount
- 13” W x 6” H
- Lamps Sold Separately

S4540

- Oil Rubbed Bronze
- Tuscan Scavo Glass
- 1 Socket
- Ceiling mount
- 11” W x 5.5” H
- Lamp Sold Separately

S4541

- Oil Rubbed Bronze
- Tuscan Scavo Glass
- 2 Sockets
- Ceiling mount
- 13” W x 5.5” H
- Lamps Sold Separately

S4472

- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 3 Sockets
- Ceiling mount
- 15” W x 6.5” H
- Lamps Sold Separately

S4542

- Oil Rubbed Bronze
- Tuscan Scavo Glass
- 3 Sockets
- Ceiling mount
- 15” W x 5.5” H
- Lamps Sold Separately

S4546

- Oil Rubbed Bronze
- Tuscan Scavo Glass
- 4 Sockets
- Ceiling mount
- 18” W x 5.5” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4470	E26	60	120	BN, CH, WH, ORB	645	97
CFLS4470	GU24	13	120	BN, CH, WH, ORB	800	82
LEDS4470	GU24	7	110-277	BN, CH, WH, ORB	450	82
INCS4471	E26	60	120	BN, CH, WH, ORB	645	97
CFLS4471	GU24	13	120	BN, CH, WH, ORB	800	82
LEDS4471	GU24	7	110-277	BN, CH, WH, ORB	450	82
INCS4472	E26	60	120	BN, CH, WH, ORB	645	97
CFLS4472	GU24	13	120	BN, CH, WH, ORB	800	82
LEDS4472	GU24	7	110-277	BN, CH, WH, ORB	450	82
INCS4540	E26	60	120	ORB	645	97
CFLS4540	GU24	13	120	ORB	800	82
LEDS4540	GU24	7	110-277	ORB	450	82
INCS4541	E26	60	120	ORB	645	97
CFLS4541	GU24	13	120	ORB	800	82
LEDS4541	GU24	7	110-277	ORB	450	82
INCS4542	E26	60	120	ORB	645	97
CFLS4542	GU24	13	120	ORB	800	82
LEDS4542	GU24	7	110-277	ORB	450	82
INCS4546	E26	60	120	ORB	645	97
CFLS4546	GU24	13	120	ORB	800	82
LEDS4546	GU24	7	110-277	ORB	450	82

JA8-2016-E

S4350

- Oil Rubbed Bronze
- Tuscan Scavo Melon Glass
- 1 Socket
- Ceiling mount
- 11” W x 5.5” H
- Lamp Sold Separately

S4460

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 1 Socket
- Ceiling mount
- 11” W x 5.5” H
- Lamp Sold Separately

S4351

- Oil Rubbed Bronze
- Tuscan Scavo Melon Glass
- 2 Sockets
- Ceiling mount
- 13” W x 6” H
- Lamps Sold Separately

S4461

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 2 Sockets
- Ceiling mount
- 13” W x 6” H
- Lamps Sold Separately

S4352

- Oil Rubbed Bronze
- Tuscan Scavo Melon Glass
- 3 Sockets
- Ceiling mount
- 15” W x 6.5” H
- Lamps Sold Separately

S4462

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted Leaf Glass
- 3 Sockets
- Ceiling mount
- 15” W x 6.5” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4350	E26	60	120	ORB	645	97
CFLS4350	GU24	13	120	ORB	800	82
LEDS4350	GU24	7	110-277	ORB	450	82
INCS4351	E26	60	120	ORB	645	97
CFLS4351	GU24	13	120	ORB	800	82
LEDS4351	GU24	7	110-277	ORB	450	82
INCS4352	E26	60	120	ORB	645	97
CFLS4352	GU24	13	120	ORB	800	82
LEDS4352	GU24	7	110-277	ORB	450	82
INCS4460	E26	60	120	BN, CH, ORB	645	97
CFLS4460	GU24	13	120	BN, CH, ORB	800	82
LEDS4460	GU24	7	110-277	BN, CH, ORB	450	82
INCS4461	E26	60	120	BN, CH, ORB	645	97
CFLS4461	GU24	13	120	BN, CH, ORB	800	82
LEDS4461	GU24	7	110-277	BN, CH, ORB	450	82
INCS4462	E26	60	120	BN, CH, ORB	645	97
CFLS4462	GU24	13	120	BN, CH, ORB	800	82
LEDS4462	GU24	7	110-277	BN, CH, ORB	450	82

CEILING

S4430
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 11” W x 5.5” H
- Lamp Sold Separately

S4431
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 13” W x 6” H
- Lamps Sold Separately

S4432
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 3 Sockets
- Ceiling mount
- 15” W x 6.5” H
- Lamps Sold Separately

S4440
- Brushed Nickel, Chrome,or Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 11” W x 5.5” H
- Lamp Sold Separately

S4441
- Brushed Nickel, Chrome,or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 13” W x 5.5” H
- Lamps Sold Separately

S4442
- Brushed Nickel, Chrome,or Oil Rubbed Bronze
- Alabaster Glass
- 3 Sockets
- Ceiling mount
- 15” W x 5.5” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4430	E26	60	120	BN, CH, ORB	645	97
CFLS4430	GU24	13	120	BN, CH, ORB	800	82
LEDS4430	GU24	7	110-277	BN, CH, ORB	450	82
INCS4431	E26	60	120	BN, CH, ORB	645	97
CFLS4431	GU24	13	120	BN, CH, ORB	800	82
LEDS4431	GU24	7	110-277	BN, CH, ORB	450	82
INCS4432	E26	60	120	BN, CH, ORB	645	97
CFLS4432	GU24	13	120	BN, CH, ORB	800	82
LEDS4432	GU24	7	110-277	BN, CH, ORB	450	82
INCS4440	E26	60	120	BN, CH, ORB	645	97
CFLS4440	GU24	13	120	BN, CH, ORB	800	82
LEDS4440	GU24	7	110-277	BN, CH, ORB	450	82
INCS4441	E26	60	120	BN, CH, ORB	645	97
CFLS4441	GU24	13	120	BN, CH, ORB	800	82
LEDS4441	GU24	7	110-277	BN, CH, ORB	450	82
INCS4442	E26	60	120	BN, CH, ORB	645	97
CFLS4442	GU24	13	120	BN, CH, ORB	800	82
LEDS4442	GU24	7	110-277	BN, CH, ORB	450	82

S4220
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Clear Ribbed Glass
- 1 Socket
- Ceiling mount
- 11” W x 5.5” H
- Lamp Sold Separately

S4221
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Clear Ribbed Glass
- 2 Sockets
- Ceiling mount
- 13” W x 6” H
- Lamps Sold Separately

S4222
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Clear Ribbed Glass
- 3 Sockets
- Ceiling mount
- 15” W x 6.5” H
- Lamps Sold Separately

S4364
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 11” W x 5.5” H
- Lamp Sold Separately

S4366
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 13” W x 6” H
- Lamps Sold Separately

S4368
- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 3 Sockets
- Ceiling mount
- 15” W x 6.5” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4220	E26	60	120	BN, CH, ORB	645	97
CFLS4220	GU24	13	120	BN, CH, ORB	800	82
LEDS4220	GU24	7	110-277	BN, CH, ORB	450	82
INCS4221	E26	60	120	BN, CH, ORB	645	97
CFLS4221	GU24	13	120	BN, CH, ORB	800	82
LEDS4221	GU24	7	110-277	BN, CH, ORB	450	82
INCS4222	E26	60	120	BN, CH, ORB	645	97
CFLS4222	GU24	13	120	BN, CH, ORB	800	82
LEDS4222	GU24	7	110-277	BN, CH, ORB	450	82
INCS4364	E26	60	120	BN, CH, ORB	645	97
CFLS4364	GU24	13	120	BN, CH, ORB	800	82
LEDS4364	GU24	7	110-277	BN, CH, ORB	450	82
INCS4366	E26	60	120	BN, CH, ORB	645	97
CFLS4366	GU24	13	120	BN, CH, ORB	800	82
LEDS4366	GU24	7	110-277	BN, CH, ORB	450	82
INCS4368	E26	60	120	BN, CH, ORB	645	97
CFLS4368	GU24	13	120	BN, CH, ORB	800	82
LEDS4368	GU24	7	110-277	BN, CH, ORB	450	82

CEILING

S4320
- Brushed Nickel or Chrome
- Frosted Melon Glass
- 1 Socket
- Ceiling mount
- 11” W x 5” H
- Lamp Sold Separately

S4321
- Brushed Nickel or Chrome
- Frosted Melon Glass
- 2 Sockets
- Ceiling mount
- 13” W x 6” H
- Lamps Sold Separately

S4322
- Brushed Nickel or Chrome
- Frosted Melon Glass
- 3 Sockets
- Ceiling mount
- 15” W x 6.5” H
- Lamps Sold Separately

S4330
- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 11” W x 5.5” H
- Lamp Sold Separately

S4331
- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 13” W x 5.5” H
- Lamps Sold Separately

S4332
- Brushed Nickel, Chrome, White, or Oil Rubbed Bronze
- Alabaster Glass
- 3 Sockets
- Ceiling mount
- 15” W x 5.5” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4320	E26	60	120	BN, CH	645	97
CFLS4320	GU24	13	120	BN, CH	800	82
LEDS4320	GU24	7	110-277	BN, CH	450	82
INCS4321	E26	60	120	BN, CH	645	97
CFLS4321	GU24	13	120	BN, CH	800	82
LEDS4321	GU24	7	110-277	BN, CH	450	82
INCS4322	E26	60	120	BN, CH	645	97
CFLS4322	GU24	13	120	BN, CH	800	82
LEDS4322	GU24	7	110-277	BN, CH	450	82
INCS4330	E26	60	120	BN, CH, WH, ORB	645	97
CFLS4330	GU24	13	120	BN, CH, WH, ORB	800	82
LEDS4330	GU24	7	110-277	BN, CH, WH, ORB	450	82
INCS4331	E26	60	120	BN, CH, WH, ORB	645	97
CFLS4331	GU24	13	120	BN, CH, WH, ORB	800	82
LEDS4331	GU24	7	110-277	BN, CH, WH, ORB	450	82
INCS4332	E26	60	120	BN, CH, WH, ORB	645	97
CFLS4332	GU24	13	120	BN, CH, WH, ORB	800	82
LEDS4332	GU24	7	110-277	BN, CH, WH, ORB	450	82

S4274 S4295
- Brushed Nickel, Chrome, or White
- Frosted Ribbed Glass
- Ceiling mount
- 4274 - 7.5” W x 4.75” H - 1 Socket
- 4295 - 9.5” W x 4.75” H - 2 Sockets
- Lamps Sold Separately

S4208 S4209
- Brushed Nickel, Chrome, or White
- Clear Ribbed Glass
- Ceiling mount
- 4208 - 7.5” W x 4.75” H - 1 Socket
- 4209 - 9.5” W x 4.75” H - 2 Sockets
- Lamps Sold Separately

S4210 S4215
- Brushed Nickel, Chrome, or White
- White Opal Glass
- Ceiling mount
- 4210 - 7.5” W x 4.75” H - 1 Socket
- 4215 - 9.5” W x 4.75” H - 2 Sockets
- Lamps Sold Separately

EXAMPLE ON HOW TO ORDER

INC4210WH-60W-A19
CFL4210WH-60W-CFL
LED4210WH-7W-LED

Lamp Type | Part # | Finish | Wattage

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4208	E26	60	120	BN, CH, WH	645	97
CFLS4208	GU24	13	120	BN, CH, WH	800	82
LEDS4208	GU24	7	110-277	BN, CH, WH	450	82
INCS4209	E26	60	120	BN, CH, WH	645	97
CFLS4209	GU24	13	120	BN, CH, WH	800	82
LEDS4209	GU24	7	110-277	BN, CH, WH	450	82
INCS4210	E26	60	120	BN, CH, WH	645	97
CFLS4210	GU24	13	120	BN, CH, WH	800	82
LEDS4210	GU24	7	110-277	BN, CH, WH	450	82
INCS4215	E26	60	120	BN, CH, WH	645	97
CFLS4215	GU24	13	120	BN, CH, WH	800	82
LEDS4215	GU24	7	110-277	BN, CH, WH	450	82
INCS4274	E26	60	120	BN, CH, WH	645	97
CFLS4274	GU24	13	120	BN, CH, WH	800	82
LEDS4274	GU24	7	110-277	BN, CH, WH	450	82
INCS4295	E26	60	120	BN, CH, WH	645	97
CFLS4295	GU24	13	120	BN, CH, WH	800	82
LEDS4295	GU24	7	110-277	BN, CH, WH	450	82

CEILING

S4000

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Glass
- 1 Socket
- Ceiling mount
- 6” W x 8” H
- Lamp Sold Separately

S4013

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 6” W x 8” H
- Lamp Sold Separately

S4002

- Brushed Nickel, Chrome or Oil Rubbed Bronze
- White Opal Glass
- 1 Socket
- Ceiling mount with Pull Chain
- 6” W x 8” H
- Lamp Sold Separately

S4016

- Oil Rubbed Bronze Finish
- Tuscan Scavo Glass
- 1 Socket
- Ceiling mount
- 6” W x 8” H
- Lamp Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4000	E26	60	120	BN, CH, ORB	27K	645
CFLS4000	GU24	13	120	BN, CH, ORB	27K	800
LEDS4000	GU24	7	110-277	BN, CH, ORB	27K	450
INCS4002	E26	60	120	BN, CH, ORB	27K	645
CFLS4002	GU24	13	120	BN, CH, ORB	27K	800
LEDS4002	GU24	7	110-277	BN, CH, ORB	27K	450
INCS4013	E26	60	120	BN, CH, ORB	27K	645
CFLS4013	GU24	13	120	BN, CH, ORB	27K	800
LEDS4013	GU24	7	110-277	BN, CH, ORB	27K	450
INCS4016	E26	60	120	ORB	27K	645
CFLS4016	GU24	13	120	ORB	27K	800
LEDS4016	GU24	7	110-277	ORB	27K	450

JA8-2016-E

S4212

- White Finish
- White Opal Glass
- 1 Socket
- Ceiling mount with Pull Chain
- 7.5” W x 4.75” H
- Lamp Sold Separately

S4299

- White Finish
- White Opal Glass
- 2 Sockets
- Ceiling mount
- 11.5” W x 5.5” H
- Lamps Sold Separately

S4294

- Brushed Nickel or Chrome
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 7.5” W x 4.75” H
- Lamp Sold Separately

S4297

- Brushed Nickel or Chrome
- Alabaster Glass
- 2 Sockets
- Ceiling mount
- 9.5” W x 4.75” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4212	E26	60	120	WH	645	97
CFLS4212	GU24	13	120	WH	800	82
LEDS4212	GU24	7	110-277	WH	450	82
INCS4299	E26	60	120	WH	645	97
CFLS4299	GU24	13	120	WH	800	82
LEDS4299	GU24	7	110-277	WH	450	82
INCS4294	E26	60	120	BN, CH	645	97
CFLS4294	GU24	13	120	BN, CH	800	82
LEDS4294	GU24	7	110-277	BN, CH	450	82
INCS4297	E26	60	120	BN, CH	645	97
CFLS4297	GU24	13	120	BN, CH	800	82
LEDS4297	GU24	7	110-277	BN, CH	450	82

CEILING

S4420
- Brushed Nickel or Chrome
- Frost Glass with Clear Edge
- 1 Socket
- Ceiling mount
- 11.75” W x 3.5” H
- Lamp Sold Separately

S4422
- Brushed Nickel or Chrome
- Frost Glass with Clear Edge
- 2 Sockets
- Ceiling mount
- 13.75” W x 3.5” H
- Lamps Sold Separately

S4424
- Brushed Nickel or Chrome
- Frost Glass with Clear Edge
- 3 Sockets
- Ceiling mount
- 15.75” W x 3.5” H
- Lamps Sold Separately

S4590
- Brushed Nickel or Chrome
- Frost Glass with Clear Edge
- 1 Socket
- Ceiling mount
- 10” W x 3.5” H
- Lamp Sold Separately

S4592
- Brushed Nickel or Chrome
- Frost Glass with Clear Edge
- 2 Sockets
- Ceiling mount
- 12” W x 3.5” H
- Lamps Sold Separately

S4594
- Brushed Nickel or Chrome
- Frost Glass with Clear Edge
- 3 Sockets
- Ceiling mount
- 14” W x 3.5” H
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4420	E26	60	120	BN, CH	645	97
CFLS4420	GU24	13	120	BN, CH	800	82
LEDS4420	GU24	7	110-277	BN, CH	450	82
INCS4422	E26	60	120	BN, CH	645	97
CFLS4422	GU24	13	120	BN, CH	800	82
LEDS4422	GU24	7	110-277	BN, CH	450	82
INCS4424	E26	60	120	BN, CH	645	97
CFLS4424	GU24	13	120	BN, CH	800	82
LEDS4424	GU24	7	110-277	BN, CH	450	82
INCS4590	E26	60	120	BN, CH	645	97
CFLS4590	GU24	13	120	BN, CH	800	82
LEDS4590	GU24	7	110-277	BN, CH	450	82
INCS4592	E26	60	120	BN, CH	645	97
CFLS4592	GU24	13	120	BN, CH	800	82
LEDS4592	GU24	7	110-277	BN, CH	450	82
INCS4594	E26	60	120	BN, CH	645	97
CFLS4594	GU24	13	120	BN, CH	800	82
LEDS4594	GU24	7	110-277	BN, CH	450	82

JA8-2016-E

S4682
- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- Ceiling mount
- 7” W x 7” H
- Lamp Sold Separately

S4684
- Brushed Nickel or Chrome
- Frosted Melon Glass
- 1 Socket
- Ceiling mount
- 7” W x 6.25” H
- Lamp Sold Separately

S4686
- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- Ceiling mount
- 9.5” W x 7” H
- Lamp Sold Separately

S4694
- Brushed Nickel or Chrome
- Alabaster Glass
- 1 Socket
- Ceiling mount
- 9.5” W x 7” H
- Lamp Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS4682	E26	60	120	BN, CH	645	97
CFLS4682	GU24	13	120	BN, CH	800	82
LEDS4682	GU24	7	110-277	BN, CH	450	82
INCS4684	E26	60	120	BN, CH	645	97
CFLS4684	GU24	13	120	BN, CH	800	82
LEDS4684	GU24	7	110-277	BN, CH	450	82
INCS4686	E26	60	120	BN, CH	645	97
CFLS4686	GU24	13	120	BN, CH	800	82
LEDS4686	GU24	7	110-277	BN, CH	450	82
INCS4694	E26	60	120	BN, CH	645	97
CFLS4694	GU24	13	120	BN, CH	800	82
LEDS4694	GU24	7	110-277	BN, CH	450	82