K Light® SOARING TECHNOLOGY CO.,LTD

Head office
1F,No32,Zhongxing Road,Xizhi,District,New Taipei City 22161,Taiwan,R.O.C.
Tel: +886-2-2691-8000 FAX:+886-2-2691-7000
Website: www.sotac.com.tw

China DongGuan factory
Nan Ge 3 Road,Nan Ge Industrial Park,Dao Jiao Town, DongGuan City,Guandong Province,China
Tel: +86-769-3893-7689 Fax: +86-769-3893-7686
Website: www.k-light.cn

WALL SCONCE

SOARING TECHNOLOGY CO.,LTD

JA8-2016-E

COMPANY PROFILE

Today Soaring Technology Co., Ltd (TWO.6222), is a public listed lighting company in Taiwan with (3) three manufacturing facilities in Dongguan, Xiamen and Taipei.

It started with Kwo-Light Co., Ltd in 1990 in Taiwan, Kwo-Light manufactured full line of lighting product assortments such as Halogen Lamps, Compact Fluorescent lamps, HID and etc. Until 2006, Kwo-Light setup its first manufacturing plant in Dongguan, China, of 23,000 square meters to heighten its competency.

In 2009, KWO-LIGHT ventured into new LED world – a new LED division of experts was formed to design LED light bulbs, LED-ready fixtures and LED luminaire.

In 2018 KWO-LIGHT Co .Ltd. cooperated with Soaring Technology Co, Ltd, a public listed company in Taiwan, changed its name to Soaring Technology Co., Ltd.

With intensive experiences and technology know-how, K-light is now at the forefront in every aspect of LED lighting technology. The systematic management, quality production, efficient customer service and endeavor enable us to supply our products of high quality to our customers globally.

OEM and ODM inquiries are welcomed. We are expert in the field of material science, mechanical design, thermal management, optics & power electronic designs. We fulfill customer's requests, pay attention and execute every engineering details, satisfy customer with full professionalism.

As a partner of Soaring Technology, you are assured the very best of modern technology in the lighting industry combined with our invention, patents, product-safety guarantee and the highest level of customer services.

WALL SCONCES

S3130 S3134
pg.06

S3857
pg.07

S3809
pg.07

S3862
pg.07

S3560
pg.08

S3564
pg.08

S3568
pg.08

S3340
pg.08

S3230
pg.09

S3260
pg.09

S3262
pg.09

S3604
pg.09

S3102
pg.10

S3104
pg.10

S3232
pg.10

S3600
pg.10

S3576
pg.11

S3580
pg.11

S3584
pg.11

S3592
pg.11

S3450
pg.12

S3452
pg.12

S3454
pg.12

S3456
pg.12

S3596
pg.12

S3234
pg.13

S3422
pg.13

S3424
pg.13

S3570
pg.13

S3574
pg.13

PRODUCT INDEX

S3432
pg.14

S3434
pg.14

S3242
pg.14

S3244
pg.14

S3246
pg.14

S3107
pg.15

S3111
pg.15

S3121
pg.15

S3540
pg.15

S3190
pg.16

S3193
pg.16

S3406
pg.16

S3368
pg.16

S3174
pg.17

S3176
pg.17

S3187
pg.17

S3188
pg.17

S3390
pg.17

S3194
pg.18

S3198
pg.18

S3114
pg.18

S3166
pg.18

S3192
pg.18

S3506 S3507
pg.19

S3512 S3513 S3514
pg.19

S3499 S3500 S3501
pg.20

S3502 S3503 S3511
pg.20

S3508 S3509 S3510
pg.21

S3504 S3505 S3515
pg.21

S3350
pg.22

JA8-2016-E

S3352
pg.22

S3354
pg.22

S3525
pg.22

S3608
pg.22

S3252
pg.23

S3360
pg.23

S3362
pg.23

S3364
pg.23

S3366
pg.23

S8882
pg.24

S8884
pg.24

WALL SCONCE WITH ROOM NUMBER

S3130

- Faux Brown Leather with Antique Brass or Oil Rubbed Bronze Trim
- Off White Linen Shade
- 1 Socket
- Wall mount
- 5.75” W x 23” H x 4” Ext.
- Lamp Sold Separately



S3134

- Brushed Nickel or Chrome with High Gloss Black Trim
- Opal Acrylic Lens
- 1 Socket
- Wall mount
- 5.75” W x 22.875” H x 3.875” Ext.
- Lamp Sold Separately



Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
CFLS3130	Gu24	13	120	AB, ORB	800	82
LEDS3130	GU24	7	110-277	AB, ORB	450	82
CFLS3134	GU24	13	120	BN, CH	800	82
LEDS3134	GU24	7	110-277	BN, CH	450	82

JA8-2016-E

S3857

- Brushed Nickel, Oil Rubbed Bronze, Black, or White
- White Acrylic Lens
- 10W Integrated LED
- Wall mount
- 4.53” W x 11.4” H x 2.8” Ext.

ADA

S3809

- Brushed Nickel, Oil Rubbed Bronze, Black, or White
- Matte White Acrylic Diffuser
- 6W Integrated LED
- Wall mount
- 9.8” W x 7.9” H x 8.9” Ext.

ADA

S3862

- Brushed Nickel, Oil Rubbed Bronze, Black, or White
- Acrylic Diffuser
- 15W Integrated LED
- Recommended J-Box 2”x4” - Horizontal Mount
- 7” W x 2.75” H x 3” Ext.



ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
ILEDS3809	Integrated	6	120	BN, ORB, BK, WH	480	80
ILEDS3857	Integrated	10	120	BN, ORB, BK, WH	840	80
ILEDS3862	Integrated	15	120	BN, ORB, BK, WH	1000	90

WALL SCONCE

S3560

- Brushed Nickel or Chrome
- White Frosted Glass
- 1 Socket
- Wall mount
- 7” W x 12.5” H x 3.75” Ext.
- Lamp Sold Separately

ADA

S3340

- Brushed Nickel or Chrome
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 9.5” W x 10.5” H x 4” Ext.
- Lamps Sold Separately

ADA

S3568

- Brushed Nickel or Chrome
- White Frosted Glass
- 1 Socket
- Wall mount
- 8” W x 9.5” H x 3.5” Ext.
- Lamp Sold Separately

ADA

S3564

- Brushed Nickel or Chrome
- White Frosted Glass
- 2 Sockets
- Wall mount
- 12” W x 7” H x 4” Ext.
- Lamps Sold Separately

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3560	E26	60	120	BN, CH	645	97
CFLS3560	GU24	13	120	BN, CH	800	82
LEDS3560	GU24	7	110-277	BN, CH	450	82
INCS3564	E26	60	120	BN, CH	645	97
CFLS3564	GU24	13	120	BN, CH	800	82
LEDS3564	GU24	7	110-277	BN, CH	450	82
INCS3568	E26	60	120	BN, CH	645	97
CFLS3568	GU24	13	120	BN, CH	800	82
LEDS3568	GU24	7	110-277	BN, CH	450	82
INCS3340	E26	60	120	BN, CH	645	97
CFLS3340	GU24	13	120	BN, CH	800	82
LEDS3340	GU24	7	110-277	BN, CH	450	82

S3230

- Brushed Nickel or Chrome
- White Linen Fabric
- 1 Socket
- Wall mount
- 7.5” W x 11” H x 4” Ext.
- Lamp Sold Separately

ADA

S3604

- Brushed Nickel or Chrome
- White Linen Fabric
- 2 Sockets
- Wall mount
- 16” W x 11” H x 7” Ext.
- Lamps Sold Separately

S3260

- Brushed Nickel or Chrome
- White Linen Fabric
- 1 Socket
- Wall mount
- 5.5” W x 14.25” H x 3.25” Ext.
- Lamp Sold Separately

ADA

S3262

- Brushed Nickel or Chrome
- White Linen Fabric
- 2 Sockets
- Wall mount
- 11” W x 14.25” H x 3.25” Ext.
- Lamps Sold Separately

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3230	E26	60	120	BN, CH	645	97
CFLS3230	GU24	13	120	BN, CH	800	82
LEDS3230	GU24	7	110-277	BN, CH	450	82
INCS3260	E26	60	120	BN, CH	645	97
CFLS3260	GU24	13	120	BN, CH	800	82
LEDS3260	GU24	7	110-277	BN, CH	450	82
INCS3262	E26	60	120	BN, CH	645	97
CFLS3262	GU24	13	120	BN, CH	800	82
LEDS3262	GU24	7	110-277	BN, CH	450	82
INCS3604	E26	60	120	BN, CH	645	97
CFLS3604	GU24	13	120	BN, CH	800	82
LEDS3604	GU24	7	110-277	BN, CH	450	82

WALL SCONCE

S3102

- Brushed Nickel or Chrome
- Opal Glass with Clear Edge Trim
- 1 Socket
- Wall mount
- 10” W x 15” H x 4” Ext.
- Lamp Sold Separately

ADA

S3104

- Brushed Nickel or Chrome
- Opal Glass with Clear Edge Trim
- 1 Socket
- Wall mount
- 8.25” W x 14” H x 4” Ext.
- Lamp Sold Separately

ADA

S3232

- Brushed Nickel or Chrome
- Frosted Glass
- 1 Socket
- Wall mount
- 7.5” W x 13” H x 4” Ext.
- Lamp Sold Separately

ADA

S3600

- Brushed Nickel or Chrome
- Frosted Glass with Clear Edge
- 2 Sockets
- Wall mount
- 15.5” W x 10” H x 3.25” Ext.
- Lamps Sold Separately

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3102	E26	60	120	BN, CH	645	97
CFLS3102	GU24	13	120	BN, CH	800	82
LEDS3102	GU24	7	110-277	BN, CH	700	82
INCS3104	E26	60	120	BN, CH	645	97
CFLS3104	GU24	13	120	BN, CH	800	82
LEDS3104	GU24	7	110-277	BN, CH	700	82
INCS3232	E26	60	120	BN, CH	645	97
CFLS3232	GU24	13	120	BN, CH	800	82
LEDS3232	GU24	7	110-277	BN, CH	700	82
INCS3600	E26	60	120	BN, CH	645	97
CFLS3600	GU24	13	120	BN, CH	800	82
LEDS3600	GU24	7	110-277	BN, CH	700	82

JA8-2016-E

S3576

- Brushed Nickel or Chrome
- White Frosted Glass
- 2 Sockets
- Wall mount
- 12” W x 12” H x 4” Ext.
- Lamps Sold Separately

ADA

S3580

- Brushed Nickel or Chrome
- White Frosted Glass
- 1 Socket
- Wall mount
- 14” W x 11.375” H x 3.125” Ext.
- Lamp Sold Separately

ADA

S3584

- Brushed Nickel or Chrome
- Etched Opal Glass
- 1 Socket
- Wall mount
- 4.5” W x 13.5” H x 4” Ext.
- Lamp Sold Separately

ADA

S3592

- Brushed Nickel or Chrome
- Clear Glass
- 1 Socket
- Wall mount
- 4.5” W x 9.5” H x 4.75” Ext.
- Lamp Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3576	E26	60	120	BN, CH	645	97
CFLS3576	GU24	13	120	BN, CH	800	82
LEDS3576	GU24	7	110-277	BN, CH	450	82
INCS3580	E26	60	120	BN, CH	645	97
CFLS3580	GU24	13	120	BN, CH	800	82
LEDS3580	GU24	7	110-277	BN, CH	450	82
INCS3584	E26	60	120	BN, CH	645	97
CFLS3584	GU24	13	120	BN, CH	800	82
LEDS3584	GU24	7	110-277	BN, CH	450	82
INCS3592	G9	40	120	BN, CH	450	97
LEDS3592	G9	4.5	120	BN, CH	420	82

WALL SCONCE

S3450

- Brushed Nickel or Oil Rubbed Bronze
- White Cloth Shade
- 1 Socket
- Wall mount
- 7.5” W x 18” H x 4” Ext.
- Lamp Sold Separately

ADA

S3454

- Brushed Nickel or Oil Rubbed Bronze
- Terra Cloth Shade
- 1 Socket
- Wall mount
- 7.5” W x 18” H x 4” Ext.
- Lamp Sold Separately

ADA

S3452

- Brushed Nickel or Oil Rubbed Bronze
- White Cloth Shade
- 2 Sockets
- Wall mount
- 12.5” W x 18” H x 4” Ext.
- Lamps Sold Separately

ADA

S3456

- Brushed Nickel or Oil Rubbed Bronze
- Terra Cloth Shade
- 2 Sockets
- Wall mount
- 12.5” W x 18” H x 4” Ext.
- Lamps Sold Separately

ADA

S3596

- Black Finish
- White Fabric with Black Mesh & Trim
- 1 Socket
- Wall mount
- 9” W x 23” H x 4” Ext.
- Lamp Sold Separately

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3450	E26	60	120	BN, ORB	645	97
CFLS3450	GU24	13	120	BN, ORB	800	82
LEDS3450	GU24	7	110-277	BN, ORB	450	82
INCS3452	E26	60	120	BN, ORB	645	97
CFLS3452	GU24	13	120	BN, ORB	800	82
LEDS3452	GU24	7	110-277	BN, ORB	450	82
INCS3454	E26	60	120	BN, ORB	645	97
CFLS3454	GU24	13	120	BN, ORB	800	82
LEDS3454	GU24	7	110-277	BN, ORB	450	82
INCS3456	E26	60	120	BN, ORB	645	97
CFLS3456	GU24	13	120	BN, ORB	800	82
LEDS3456	GU24	7	110-277	BN, ORB	450	82
INCS3596	E26	60	120	BK	645	97
CFLS3596	GU24	13	120	BK	800	82
LEDS3596	GU24	7	110-277	BK	450	82

S3234

- Brushed Nickel or Chrome
- White Opal Glass
- 2 Sockets
- Wall mount
- 4.75” W x 20.5” H x 4.25” Ext.
- Lamps Sold Separately

ADA

S3422

- Brushed Nickel or Chrome
- White Opal Glass
- 2 Sockets
- Wall mount
- 4.75” W x 20.5” H x 4” Ext.
- Lamps Sold Separately

ADA

S3424

- Brushed Nickel or Chrome
- White Opal Glass
- 2 Sockets
- Wall mount
- 5.75” W x 19.25” H x 4” Ext.
- Lamps Sold Separately

ADA

Wall Sconce & Vanity configurable

S3570

- Brushed Nickel or Chrome
- Bubble Acrylic Diffuser
- 5W Integrated LED
- Wall mount
- 5.5” W x 13” H x 2.25” Ext.

ADA

S3574

- Brushed Nickel or Chrome
- Bubble Acrylic Diffuser
- 10W Integrated LED
- Wall mount
- 6.5” W x 24” H x 2.25” Ext.

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3234	E26	60	120	BN, CH	645	97
CFLS3234	GU24	13	120	BN, CH	800	82
LEDS3234	GU24	7	110-277	BN, CH	450	82
ILEDS3570	Integrated	5	110-277	BN, CH	450	90
ILEDS3574	Integrated	10	110-277	BN, CH	900	90
INCS3422	E26	60	120	BN, CH	645	97
CFLS3422	GU24	13	120	BN, CH	800	82
LEDS3422	GU24	7	110-277	BN, CH	450	82
INCS3424	E26	60	120	BN, CH	645	97
CFLS3424	GU24	13	120	BN, CH	800	82
LEDS3424	GU24	7	110-277	BN, CH	450	82

WALL SCONCE

S3432

- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- Wall mount
- 4.25” W x 15.25” H x 4” Ext.
- Lamp Sold Separately

ADA

S3434

- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- Wall mount
- 4.25” W x 15.25” H x 4” Ext.
- Lamp Sold Separately

ADA

S3242

- Oil Rubbed Bronze
- Tuscan Scavo Glass
- 1 Socket
- Wall mount
- 4.5” W x 13.5” H x 4” Ext.
- Lamp Sold Separately

ADA

S3246

- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- Wall mount
- 4.5” W x 13.5” H x 4” Ext.
- Lamp Sold Separately

ADA

S3244

- Brushed Nickel or Chrome
- White Opal Glass
- 1 Socket
- Wall mount
- 4.5” W x 11.5” H x 4” Ext.
- Lamp Sold Separately

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3242	E26	60	120	ORB	645	97
CFLS3242	GU24	13	120	ORB	800	82
LEDS3242	GU24	7	110-277	ORB	700	82
INCS3244	E26	60	120	BN, CH	645	97
CFLS3244	GU24	13	120	BN, CH	800	82
LEDS3244	GU24	7	110-277	BN, CH	700	82
INCS3246	E26	60	120	BN, CH	645	97
CFLS3246	GU24	13	120	BN, CH	800	82
LEDS3246	GU24	7	110-277	BN, CH	700	82
INCS3432	E26	60	120	BN, CH	645	97
CFLS3432	GU24	13	120	BN, CH	800	82
LEDS3432	GU24	7	110-277	BN, CH	700	82
INCS3434	E26	60	120	BN, CH	645	97
CFLS3434	GU24	13	120	BN, CH	800	82
LEDS3434	GU24	7	110-277	BN, CH	700	82

S3107

- Brushed Nickel, White, or Oil Rubbed Bronze
- White Opal Glass
- 1 Socket
- Wall mount
- 12” W x 6” H x 6” Ext.
- Lamp Sold Separately

Workhorse fixtures include end caps in all of the available finishes.

S3111

- Oil Rubbed Bronze
- Tuscan Scavo Glass
- 1 Socket
- Wall mount
- 12” W x 6” H x 6” Ext.
- Lamp Sold Separately

S3121

- Brushed Nickel, White, or Oil Rubbed Bronze
- Alabaster Glass
- 1 Socket
- Wall mount
- 12” W x 6” H x 6” Ext.
- Lamp Sold Separately

S3540

- Brushed Nickel or Oil Rubbed Bronze
- White Opal Glass
- 2 Sockets
- Wall mount
- 7.125” W x 16.25” H x 4” Ext.
- Lamps Sold Separately



ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3107	E26	60	120	BN, WH, ORB	645	97
CFLS3107	GU24	13	120	BN, WH, ORB	800	82
LEDS3107	GU24	7	110-277	BN, WH, ORB	450	82
INCS3111	E26	60	120	ORB	645	97
CFLS3111	GU24	13	120	ORB	800	82
LEDS3111	GU24	7	110-277	ORB	450	82
INCS3121	E26	60	120	BN, WH, ORB	645	97
CFLS3121	GU24	13	120	BN, WH, ORB	800	82
LEDS3121	GU24	7	110-277	BN, WH, ORB	450	82
INCS3540	E26	60	120	BN, ORB	645	97
CFLS3540	GU24	13	120	BN, ORB	800	82
LEDS3540	GU24	7	110-277	BN, ORB	450	82

WALL SCONCE

S3190

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Glass
- 1 Socket
- Wall mount
- 5” W x 12” H x 4” Ext.
- Lamp Sold Separately

ADA

S3368

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 12.875” W x 10.75” H x 3.75” Ext.
- Lamp Sold Separately

ADA

S3193

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Glass
- 1 Socket
- Wall mount
- 5” W x 17.75” H x 4” Ext.
- Lamp Sold Separately

ADA

S3406

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Frosted Checkered Glass
- 1 Socket
- Wall mount
- 7.5” W x 14.5” H x 3.25” Ext.
- Lamp Sold Separately

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3190	E26	60	120	BN, CH, ORB	645	97
CFLS3190	GU24	13	120	BN, CH, ORB	800	82
LEDS3190	GU24	7	110-277	BN, CH, ORB	700	82
INCS3193	E26	60	120	BN, CH, ORB	645	97
CFLS3193	GU24	13	120	BN, CH, ORB	800	82
LEDS3193	GU24	7	110-277	BN, CH, ORB	700	82
INCS3368	E26	60	120	BN, CH, ORB	645	97
CFLS3368	GU24	13	120	BN, CH, ORB	800	82
LEDS3368	GU24	7	110-277	BN, CH, ORB	700	82
INCS3406	E26	60	120	BN, CH, ORB	645	97
CFLS3406	GU24	13	120	BN, CH, ORB	800	82
LEDS3406	GU24	7	110-277	BN, CH, ORB	700	82

JA8-2016-E

S3174

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Glass
- 2 Sockets
- Wall mount
- 7.5” W x 12” H x 3.625” Ext.
- Lamps Sold Separately

ADA

S3176

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Opal Glass
- 2 Sockets
- Wall mount
- 8.75” W x 10.5” H x 4” Ext.
- Lamps Sold Separately

ADA

S3188

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 11.5” W x 10.75” H x 3.5” Ext.
- Lamps Sold Separately

ADA

S3187

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 11” W x 10” H x 4” Ext.
- Lamps Sold Separately

ADA

S3390

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 11” W x 10” H x 4” Ext.
- Lamps Sold Separately

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3174	E26	60	120	BN, CH, ORB	645	97
CFLS3174	GU24	13	120	BN, CH, ORB	800	82
LEDS3174	GU24	7	110-277	BN, CH, ORB	450	82
INCS3176	E26	60	120	BN, CH, ORB	645	97
CFLS3176	GU24	13	120	BN, CH, ORB	800	82
LEDS3176	GU24	7	110-277	BN, CH, ORB	450	82
INCS3187	E26	60	120	BN, CH, ORB	645	97
CFLS3187	GU24	13	120	BN, CH, ORB	800	82
LEDS3187	GU24	7	110-277	BN, CH, ORB	450	82
INCS3188	E26	60	120	BN, CH, ORB	645	97
CFLS3188	GU24	13	120	BN, CH, ORB	800	82
LEDS3188	GU24	7	110-277	BN, CH, ORB	450	82
INCS3390	E26	60	120	BN, CH, ORB	645	97
CFLS3390	GU24	13	120	BN, CH, ORB	800	82
LEDS3390	GU24	7	110-277	BN, CH, ORB	450	82

WALL SCONCE

S3194

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- Alabaster Glass
- 2 Sockets
- Wall mount
- 16” W x 8.25” H x 4.75” Ext.
- Lamps Sold Separately

S3198

- Brushed Nickel or Chrome
- White Frosted Glass
- 1 Socket
- Wall mount
- 12” W x 6.5” H x 3.5” Ext.
- Lamp Sold Separately

S3166

- White
- White Acrylic Lens
- 1 Socket
- Wall mount
- 12.75” W x 6.5” H x 4” Ext.
- Lamp Sold Separately

ADA

S3192

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Frosted Glass
- 1 Socket
- Wall mount
- 8” W x 68.25” H x 4” Ext.
- Lamp Sold Separately

ADA

S3114

- Brushed Nickel, Chrome, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 12” W x 6.5” H x 3.5” Ext.
- Lamp Sold Separately

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3114	E26	60	120	BN, ORB, CH	645	97
CFLS3114	GU24	13	120	BN, ORB, CH	800	82
LEDS3114	GU24	7	110-277	BN, ORB, CH	700	82
INCS3166	E26	60	120	WH	645	97
CFLS3166	GU24	13	120	WH	800	82
LEDS3166	GU24	7	110-277	WH	700	82
INCS3192	E26	60	120	BN, CH, ORB	645	97
CFLS3192	GU24	13	120	BN, CH, ORB	800	82
LEDS3192	GU24	7	110-277	BN, CH, ORB	450	82
INCS3194	E26	60	120	BN, CH, ORB	645	97
CFLS3194	GU24	13	120	BN, CH, ORB	800	82
LEDS3194	GU24	7	110-277	BN, CH, ORB	450	82
INCS3198	E26	60	120	BN, CH	645	97
CFLS3198	GU24	13	120	BN, CH	800	82
LEDS3198	GU24	7	110-277	BN, CH	700	82

JA8-2016-E

S3506

- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 24” H x 6.25” Ext.
- Lamps Sold Separately

S3507

- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 18” H x 6.25” Ext.
- Lamps Sold Separately

INTEGRATED LIGHT ENGINE AVAILABLE

Integrated light engines available in some fixtures as a replacement to standard lamp sockets upon request. Look for this symbol in the catalog for fixtures with an I.L.E. option.

S3513

- Brushed Nickel or Oil Rubbed Bronze
- Frosted Glass
- 2 Sockets
- Wall mount
- 11.75” W x 13” H x 6.75” Ext.
- Lamps Sold Separately

S3512

- Brushed Nickel or Oil Rubbed Bronze
- Frosted Glass
- 2 Sockets
- Wall mount
- 8” W x 16” H x 6” Ext.
- Lamps Sold Separately

S3514

- Brushed Nickel or Oil Rubbed Bronze
- Frosted Glass
- 1 Socket
- Wall mount
- 5.5” W x 6.5” H x 4” Ext.
- Lamp Sold Separately

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3506	E26	60	120	BN, ORB	645	97
CFLS3506	GU24	13	120	BN, ORB	800	82
LEDS3506	GU24	7	110-277	BN, ORB	450	82
INCS3507	E26	60	120	BN, ORB	645	97
CFLS3507	GU24	13	120	BN, ORB	800	82
LEDS3507	GU24	7	110-277	BN, ORB	450	82
INCS3512	E26	60	120	BN, ORB	645	97
CFLS3512	GU24	13	120	BN, ORB	800	82
LEDS3512	GU24	7	110-277	BN, ORB	450	82
INCS3513	E26	60	120	BN, ORB	645	97
CFLS3513	GU24	13	120	BN, ORB	800	82
LEDS3513	GU24	7	110-277	BN, ORB	450	82
INCS3514	E26	60	120	BN, ORB	645	97
CFLS3514	GU24	13	120	BN, ORB	800	82
LEDS3514	GU24	7	110-277	BN, ORB	450	82

OUTDOOR WALL SCONCE

S3499
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 14” H x 6.25” Ext.
- Lamps Sold Separately

S3501
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 18” H x 6.25” Ext.
- Lamps Sold Separately

S3500
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 24” H x 6.25” Ext.
- Lamps Sold Separately

S3511
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 14” H x 6.25” Ext.
- Lamps Sold Separately

S3503
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 18” H x 6.25” Ext.
- Lamps Sold Separately

S3502
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 24” H x 6.25” Ext.
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3499	E26	60	120	BN, ORB	645	97
CFLS3499	GU24	13	120	BN, ORB	800	82
LEDS3499	GU24	7	110-277	BN, ORB	450	82
INCS3500	E26	60	120	BN, ORB	645	97
CFLS3500	GU24	13	120	BN, ORB	800	82
LEDS3500	GU24	7	110-277	BN, ORB	450	82
INCS3501	E26	60	120	BN, ORB	645	97
CFLS3501	GU24	13	120	BN, ORB	800	82
LEDS3501	GU24	7	110-277	BN, ORB	450	82
INCS3502	E26	60	120	BN, ORB	645	97
CFLS3502	GU24	13	120	BN, ORB	800	82
LEDS3502	GU24	7	110-277	BN, ORB	450	82
INCS3503	E26	60	120	BN, ORB	645	97
CFLS3503	GU24	13	120	BN, ORB	800	82
LEDS3503	GU24	7	110-277	BN, ORB	450	82
INCS3511	E26	60	120	BN, ORB	645	97
CFLS3511	GU24	13	120	BN, ORB	800	82
LEDS3511	GU24	7	110-277	BN, ORB	450	82

JA8-2016-E

S3510
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 14” H x 6.25” Ext.
- Lamps Sold Separately

S3509
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 18” H x 6.25” Ext.
- Lamps Sold Separately

S3508
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 24” H x 6.25” Ext.
- Lamps Sold Separately

S3515
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 14” H x 6.25” Ext.
- Lamps Sold Separately

S3505
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 18” H x 6.25” Ext.
- Lamps Sold Separately

S3504
- Brushed Nickel or Oil Rubbed Bronze
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 10” W x 24” H x 6.25” Ext.
- Lamps Sold Separately

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3504	E26	60	120	BN, ORB	645	97
CFLS3504	GU24	13	120	BN, ORB	800	82
LEDS3504	GU24	7	110-277	BN, ORB	450	82
INCS3505	E26	60	120	BN, ORB	645	97
CFLS3505	GU24	13	120	BN, ORB	800	82
LEDS3505	GU24	7	110-277	BN, ORB	450	82
INCS3508	E26	60	120	BN, ORB	645	97
CFLS3508	GU24	13	120	BN, ORB	800	82
LEDS3508	GU24	7	110-277	BN, ORB	450	82
INCS3509	E26	60	120	BN, ORB	645	97
CFLS3509	GU24	13	120	BN, ORB	800	82
LEDS3509	GU24	7	110-277	BN, ORB	450	82
INCS3510	E26	60	120	BN, ORB	645	97
CFLS3510	GU24	13	120	BN, ORB	800	82
LEDS3510	GU24	7	110-277	BN, ORB	450	82
INCS3515	E26	60	120	BN, ORB	645	97
CFLS3515	GU24	13	120	BN, ORB	800	82
LEDS3515	GU24	7	110-277	BN, ORB	450	82

OUTDOOR WALL SCONCE

S3350
- Black, Silver, or White
- Frosted Glass
- 1 Socket
- Wall mount
- 6.5" W x 9.875" H x 4.875" Ext.
- Lamp Sold Separately

S3352
- Black, Silver, or White
- Frosted Glass
- 1 Socket
- Wall mount
- 6.5" W x 9.875" H x 4.875" Ext.
- Lamp Sold Separately

S3354
- Black, Silver, or White
- Frosted Glass
- 1 Socket
- Wall mount
- 6.5" W x 9.875" H x 4.875" Ext.
- Lamp Sold Separately

S3608
- Black or Silver
- White Frosted Glass
- 1 Socket
- Wall mount
- 5.5" W x 11" H x 5.5" Ext.
- Lamp Sold Separately

S3525
- Brushed Nickel, Oil Rubbed Bronze, Silver, or White
- White Acrylic Lens
- 2 Sockets
- Wall mount
- 11.5" W x 10.75" H x 3.5" Ext.
- Lamps Sold Separately

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3350	E26	60	120	BK, SI, WH	645	97
CFLS3350	GU24	13	120	BK, SI, WH	800	82
LEDS3350	GU24	7	110-277	BK, SI, WH	450	82
INCS3352	E26	60	120	BK, SI, WH	645	97
CFLS3352	GU24	13	120	BK, SI, WH	800	82
LEDS3352	GU24	7	110-277	BK, SI, WH	450	82
INCS3354	E26	60	120	BK, SI, WH	645	97
CFLS3354	GU24	13	120	BK, SI, WH	800	82
LEDS3354	GU24	7	110-277	BK, SI, WH	450	82
INCS3525	E26	60	120	BN, ORB, SI, WH	645	97
CFLS3525	GU24	13	120	BN, ORB, SI, WH	800	82
LEDS3525	GU24	7	110-277	BN, ORB, SI, WH	450	82
INCS3608	E26	60	120	BK, SI	645	97
CFLS3608	GU24	13	120	BK, SI	800	82
LEDS3608	GU24	7	110-277	BK, SI	450	82

JA8-2016-E

S3360
- Black, Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 9.375" W x 10.25" H x 4" Ext.
- Lamp Sold Separately

ADA

S3362
- Black, Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 9.375" W x 10.25" H x 4" Ext.
- Lamp Sold Separately

ADA

S3364
- Black, Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 9.375" W x 10.25" H x 4" Ext.
- Lamp Sold Separately

ADA

S3366
- Black, Brushed Nickel, or Oil Rubbed Bronze
- White Acrylic Lens
- 1 Socket
- Wall mount
- 9.375" W x 10.25" H x 4" Ext.
- Lamp Sold Separately

ADA

S3252
- Oil Rubbed Bronze Finish
- Clear Acrylic Lens
- 1 Socket
- Wall mount
- 10.25" W x 11.25" H x 4" Ext.
- Lamp Sold Separately

ADA

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
INCS3252	E26	60	120	ORB	645	97
CFLS3252	GU24	13	120	ORB	800	82
LEDS3252	GU24	7	110-277	ORB	450	82
INCS3360	E26	60	120	BK, BN, ORB	645	97
CFLS3360	GU24	13	120	BK, BN, ORB	800	82
LEDS3360	GU24	7	110-277	BK, BN, ORB	450	82
INCS3362	E26	60	120	BK, BN, ORB	645	97
CFLS3362	GU24	13	120	BK, BN, ORB	800	82
LEDS3362	GU24	7	110-277	BK, BN, ORB	450	82
INCS3364	E26	60	120	BK, BN, ORB	645	97
CFLS3364	GU24	13	120	BK, BN, ORB	800	82
LEDS3364	GU24	7	110-277	BK, BN, ORB	450	82
INCS3666	E26	60	120	BK, BN, ORB	645	97
CFLS3666	GU24	13	120	BK, BN, ORB	800	82
LEDS3666	GU24	7	110-277	BK, BN, ORB	450	82

NIGHT LIGHT / STEP LIGHT

S8884

- Brushed Nickel, Oil Rubbed Bronze, or White (paintable)
- Integrated 1.2 watt LED
- Vertical or Horizontal Mounting Plates Included
- 2.9” W x 4.6” H x 1.5” Ext.
- Optional White or Amber Acrylic Lens Available

S8882

- Brushed Nickel, Oil Rubbed Bronze, or White (paintable)
- Integrated 2.7 watt LED
- Vertical or Horizontal Mounting Plates Included
- 4.8” W x 8.6” H x 1.5” Ext.
- Optional White or Amber Acrylic Lens Available

Item Number	Socket	Wattage	Voltage	Avail. Finishes	Lumens	CRI
ILEDS8882	Integrated	2.7	120	BN, WH, ORB	160	80
ILEDS8884	Integrated	1.2	120	BN, WH, ORB	70	80